

READY 2000 MSEL

TIME	REPORTED	MESG. #	EXERCISE EVENT/ACTIVITY
0730	Red		Coal Creek Fire Department cancelled playing in exercise as of 0730 am
0745	Red		Red net radio checks complete
0800	Red		current weather passed to control organizations
0825	Green		Green net radio check complete-green 9 in place @ OMD
0827	Green		Contacted Green net to inform exercise initiation in approx 3 minutes
0829	Yellow		Radio checks complete - all in position and ready
0840	Yellow		Exercise on hold due to surveillance in B371/374 (combustible control surveillance) initiation approx 0900 - yellow net informed
0845	Red		per red 1, controller was ejected from EOC. He had unauthorized electronic equipment on his person. Will be allowed access after electronic equipment is removed.
0845	Red		Broomfield Ambulance is having difficulty gaining access to Site. Monte Wright is working issue but currently remains unresolved.
0847	Red		Broomfield ambulance is on-Site. Issue resolved.
0850	Red		EOC Controller corrected earlier issue and has returned to EOC
0850	Yellow		Resetting scene
0852	Red		Weather update
0855	Green		contacted Green - weather update and exercise initiation
0857	Blue		Event initiated @ B374
0857	Green		contacted Green net - exercise initiated @ 0857
0857	Yellow	1	Exercise initiated - yellow net informed
0857-E	ECCM	1	Exercise Initiation
0859	Yellow	2	Yellow 1 reporting message #2 dropped
0900	Blue		Fire Dept units clearing PACS 2
0900	White		7 Fire Dept units thru Portal 2 to 374 fire
0900	Yellow		LS/DW announcement in B371/374 to perform controlled evacuation
0901	Blue		Fire Dept units placement on N & E sides of Bldg 374
0901	White		LIMA 2 confirm - no vaults in access
0902	White		Pro Force escorting Fire Dept thru Portal 2
0902	Yellow		Yellow 4 reporting worker #6 cannot find anyone from building in charge of accountability - instructed by yellow control to play out - facility management should be arriving
0903	White		6 Fire Dept units in PA
0903	White		TCP's deploying
0904	White		Pro Force to EOC for access control
0906	White		Fire Department moving all personnel NE of B374
0907	Green		green 9 reporting LS/DW @ B122 & 125 outside not working
0908	Red		604 has left EOC, declared an operational emergency at ALERT*, directed activation of EOC, ERO and performance of offsite notifications
0908	White		LIMA 2 closing portal 2
0908	Yellow		Yellow-4 being asked if accountability of facility personnel has started. Yes as of 0908
0908	Yellow	8	asked Yellow-4 the time message #8 was dropped (0908)
0909	Blue		Fire Department preparing to enter structure
0910	Blue		ICP established by Fire Dept to the N & E of B374; 2-100,000 gal tanks @ B374
0910	Green		Green 1 reported fire hoses are charged. Instructed G-1 to STOP fire hose charge
0910	Green		Green-1 reporting no fire controller in NE section
0910	White		TOC activated
0910	White		LIMA 2 moving personnel to secondary assembly area
0911	Blue		victims #4 & #5 contacted by Fire Dept personnel
0913	Blue		LS/DW announcement : 1-B374 personnel evacuate to NE corner of building; 2-ERO personnel to ICP; 3-safe route of travel
0913			Received via fax to 5206 Emergency Offsite Notification Form-initial
0914	Blue		ERO page received by Blue control

READY 2000 MSEL

TIME	REPORTED	MESG. #	EXERCISE EVENT/ACTIVITY
0914	Blue		Advised Blue-8 that Fire Dept is not to use charged hose lines
0915	Blue		Blue-7 reporting simulated hoselines for building interior have been approved
0915	Green		Hot zone set up by Fire Dept on the N side of 374. 1 victim removed & first aid is being administered
0915	Yellow		Yellow-1 reporting Fire Dept has discharged fire hoses and have entered the facility
0916	Blue	4	Message #4 dropped by Blue-7
0916	Blue		Fire Dept EMS personnel treating victims #4 & #5 on exterior of building, NE corner
0916	Green		told that message #3 was not dropped- Fire Dept entered bldg first with no RCT/s
0919	Blue		S/S on-scene @ Fire Dept ICP
0920	Blue	5	Message #5 dropped by Blue-7
0920	Green		Green-4 stated that victims #4 & #5 were removed from southside to northside of B374
0920	White		Unit 240 within affected area contaminated by RCT
0922	Green	4	message #4 dropped by Green-2
0922	Yellow		Yellow-4 reporting no RAD Ops controller at accountability board-directions? Y-C to Y-4 proceed with actual readings from RAD Ops on scene
0923	Blue		Sr. Controller advised Blue-1 to inject message as appropriate to the S/S to go to a SAE for the event
0923	Yellow		Yellow-1 reporting Fire Dept has reached 2 victims and preparing to extricate
0924	Blue		ERO page moving response to level above ALERT
0924	Blue		Based on analysis performed by S/S, classification of emergency has been moved to SAE
0925	Blue		Blue-4 reporting patient #5 is being transported to University Hospital (simulated) nby RFFD
0925	Blue	Med 1-1, Med 1-2	Message #Med 1-1 & Med 1-2 dropped by Blue 4
0925	Green		was informed that 50 people walked through the plume and reported 1000 dpm of contamination on shoes, etc.
0925	Red		Info: Control Cell Observation by Ops Mgr - LS/DW announcement is incorrect. Emergency @ ALERT, however, we are sheltering on Site
0925	White		Additional TCP at SW371 gate. 240-NW of building is in respirator waiting for RCT to monitor him
0927	Blue		Blue-1 reporting ICP received info that there are 4 RED patients
0927	Red		PA announcement @ 0925 was prepared by PI team, approved by PI Mgr. At time announcement was prepared, Site was at Alert status. Sitewide shelter order was questioned by ED
0928	Green		informed that RFST rec'd wind & weather info from HAC that is different from Control Cell
0929	Yellow		Yellow-2 reporting 2 victims out of building & w/the Fire Dept
0930	Green		reported current weather to green net
0930	White		CAS announcement - EOC has ordered sheltering
0931	Blue		IC providing a briefing to the CM on events as he understands them (IC = S/S)
0931	Red		Crisis Mgr assumes overall responsibility for sitewide emergency response operations
0931	Red		per red-1, EOC staffed and declared operational @ 0931
0931	Yellow		Yellow-2 reporting preliminary search of facility completed
0932	Blue		patient #1 is being transported from scene to University Hospital by RFFD Med #1
0932	Red		Weather update
0932	Red		confirmation that upgraded to SAE @ 0932, METS at 0936
0932	White		LIMA2 allow ambulance to exit portal 2
0933	Red		2nd offsite notifications were completed at 0933
0934	Blue		Blue-4 reporting patient #1 in RFFD Med 1 being transported to St. Anthony's North
0934	Blue	Med 2-1	message Med 2-1 dropped
0934	Red		per yellow-4, accountability was complete at 0934. Red net informed
0934	Yellow		Yellow-4 reports accountability of personnel completed @ 0934 - personnel that are not contaminated are moving to B771

READY 2000 MSEL

TIME	REPORTED	MESG. #	EXERCISE EVENT/ACTIVITY
0935	Green		Green-1 reporting contamination on BEST members from B371 @ ICP approx 100 cpm on booties and legs
0935	White		241 sent to keep evacuated employees off the road and in one area
0935	Yellow		Yellow-2 reporting fire team in building state protocol is to remain which will negate forced re-entry and search - E/D dynamic injection message - tell Fire Dept they are needed at ICP - exit the facility
0936	Blue		Blue-7 advised that the dynamic message inject regarding secondary search & reentry was dropped
0936	Blue		Blue-4 questioned if St. Anthony's North is actually on divert
0937	Blue		ED advised Blue-1 @ ICP that a dynamic message inject was being made to force Fire Dept to exit the building to prepare for re-entry
0937	Yellow		Yellow-2 reporting dynamic injection message dropped and Fire Dept exiting the facility
0938	Red		Red-3 reporting St. Anthony's North is not on "divert" status & is available to play
0939	Blue		the 5 victims have been identified to IC as missing; identified as missing as a result of the accountability process
0940	Blue		told blue-4 that St Anthony's North is NOT on divert & they are participating in the exercise
0940	Green		Green-3 reported that 2 injured/contaminated "victims" transported to OMD have been contained
0940	Green		Green-7 reports RFST ALPHA is at sampling point 9B and report 10 cpm on airsample
0942	Red	6C	Message #6C was dropped
0942	White		Last Fire Dept unit in thru Portal 2
0943	Blue		blue-4 reporting RFFD Med 2 enroute to T130E to drop off patient #4 and then will be enroute to St Anthony's North w/patient #1
0944	JIC		Media Advisory #1
0944	White		Fire Dept unit went east - stopped by SPO's at TCP - sent back west
0945	White		2nd ambulance out thru Portal 2
0949	Yellow		asked Yellow-4 the status of accountability. BEST members tags pulled and 9 personnel/tags not yet accounted for
0950	Green		was told that green-5 was going to the N sector of B374 to control survey activities by RCT's
0950	Green		green-7 reports that RAD FST ALPHA detects 250 cpm on areawipe @ sampling point 9B
0952	Yellow		Fire Dept is standing on exterior stairwell and preparing for re-entry
0954	Blue		Blue-1 requested that issue with security for offsite transport of patient in Med 2; advised bue-1 issue is resolved
0954	Green		Green-1 reports @ ICP that 3 BEST team members were deconned and isolated @ ICP boundary. Putting on white clothing-waiting further instruction
0954			Received via fax to 5206 Emergency Offsite Notification Form-update
0955	Blue		IC conducting an incident briefing with ICP staff
0955	Blue		RFFD Med #1 & Med #2 dropped one patient each @ University Hosp (simulated at T130E)
0955	White		confusion over which unit (ambulance) is allowed to leave Site.
0956	Yellow		told yellow-4 accountability completed yellow-4 to move to ICP - NE corner of B374
0958	Blue		issue continued re: offsite patient transport; Med unit confusion being resolved w/LIMA units
1000	Green		contacted Green-9 to report LS/DW update to the Site Emergency situation
1000	Yellow		yellow 1 reports Fire Dept doffing bunker gear - going down due to heat
1003	Blue		Blue-4 advised that Med 2 is transporting patient #2 to University Hospital (simulated T130E)
1003	Green		Green-7 reports that FST Alpha detects 175 cpm on large area wipe at location 7B
1004	Blue		Broomfield Ambulance has arrived at the incident scene
1005	Green		Green-7 reports that FST ALPHA is @ sampling point 6B and has reported background on large area wipe
1005	Green		Green-8 contact green-7 for actual background counts from FST Alpha survey data

READY 2000 MSEL

TIME	REPORTED	MESG. #	EXERCISE EVENT/ACTIVITY
1005	Green		Green-3 reporting HAZMAT individuals were requesting exemption from exercise. Told green-3 to check with IC at scene to confirm
1005	Red		info: crisis manager has directed B707 DO NOT access any more nuclear material & perform no add'l nuclear material movements until further notice
1009	Green		Green-7 reports FST Alpha report background levels on large area wipes @ sampling point 5B
1010	Blue		Blue-1 advised that ICP/IC has all B371/374 personnel accounted for except victim #3
1010	Green		Green-3 reporting that HAZMAT members in B374 are exempt from play until re-entry is made into B374
1010	Yellow		asking yellow-1 if Fire Dept made second facility entry. Yellow-1 reporting "no". Currently @ ICP discussing current building conditions with IC
1011	Blue		Blue-1 asked from ICP if Building alarms could be silenced
1012	Blue		victim #2 has arrived @ University Hosp (T130E)
1015	Blue		IC conducting and ICP briefing
1015	Green		Green-9 reports no victims transported to OMD decon as of 1015. Will be advised.
1017	Green		Green-8 reports FST Bravo @ intersection of hwy 93 & hwy 72 conducting air sampling . W/report data to HAC
1017	Yellow		ICP aware of missing person - Fire Dept organizing for re-entry and subsequent facility search
1018	Red		red-2 informed control cell that Dick Raaz has stated that "B771 has exceeded occupancy limits". Need direction from ED. Per ED play out this issue.
1022	Blue		LS/DW requesting Virginia Mackes contact X2446
1022	Red		Env. FWC completed (simulation) of diverting water treatment influence to influence storage tanks
1022	Red		Jim Flourke was appointed as Recovery Manager @ 1022
1023	Blue	9	message #9 dropped
1024	Blue		LS/DW announcement heard @ T130E updating personnel on exercise incident status
1025	Blue	11C	message #11C dropped
1025	Green		Provided update to B122 & B125 on Site emergency that was provided by LS/DW
1026	Blue		IC completing re-entry planning for FD; re-entry in approx 5 minutes to locate & remove victim #3
1029	Blue		4 FFS entering (re-entering) for search and rescue of victim #3
1029	Blue		IC conducting ICP briefing on reentry operations and FD search & rescue
1029	Red		Request per ED has Recovery Manager been appointed? Per Red-1, negative
1029	Yellow		Prepare for Fire Dept emergency re-entry
1030	Green		Green-2 reports 4 Fire Dept personnel are attempting re-entry into B374 to locate unaccounted for victim
1032	Red		No information systems advisor has reported to the CSS
1033	Green		Green-2 reports 3 Fire Dept personnel that will re-enter B374 to conduct search
1034	Blue		Blue-1 expressed safety concerns with the delay in getting drinking water to the scene. ED working this issue with Red control units
1034	Yellow		Yellow 2 to Y Control two fire fighters @ door #1 preparing for re-entry and search for missing person
1035	Green		Was informed by Green-1 that 41 individuals suspected of being contaminated are being transported to B771 for decontamination and a controller is needed
1035	Red		CM has directed some B771 occupants to leave building (against sheltering) in order to resolve the occupancy issue (overcrowding)
1035	Red		Red-2 has injected additional information re: high FST rad data to alleviate confusion in HAC and EOC
1035	White		Unit 240 (TCP) being removed from scene and transported to 771 for decon
1037	Yellow		Fire Dept realizes no keys for door #11 searching for keys/door support
1038	Green		Green-8 reported FST Bravo is @ Sampling Point 62 conducting air sampling and reported building counts

READY 2000 MSEL

TIME	REPORTED	MESG. #	EXERCISE EVENT/ACTIVITY
1041	Blue		From B7, Patient #3 contact made and message #11 dropped on scene
1041	Yellow		Yellow-2 to Yellow-Control Fire Dept has made reentry into B374
1042	Blue		Victim #3 out of the building, being moved to hotline for medical evaluation
1042	Blue		IC received info that patient #3 has been found and is being removed by the FD, IC declared accountability complete
1043	Yellow		Yellow-2 to Yellow-Control patient has been located in Room 3813 of B374
1044			Received via fax to 5206 Emergency Offsite Notification Form-update
1045	Green		Green-9 requested status of 3rd victim from B374 enroute to OMD Decon Trailer
1045	Yellow		Yellow-1 to Yellow-Control last victim has been removed from Room 3813 of B374
1046	Blue		Med 4-1 message dropped
1048	Green		FST Alpha is on standby @ sampling point 5B recounting air sample filters. Waiting further direction
1048	Green		Green-8 reports that FST Bravo is @ sampling point 93 and conducting ground surveys and air sampling
1050	Green		Green-1 informed G-Control that the 41 individuals sent to Bldg. 771 were deconned and released 20 minutes ago
1050	Yellow		Yellow-1 to Yellow-Control Broomfield Ambulance in place and ready for transport of victim
1051	Red		Recovery Manager has arrived @ EOC
1054	Green		Was informed that FST Bravo Control will be turned over to the IC. Team may go into the PA if requested
1055	Red		ED requested that Red-1 call X5832
1055	Yellow		Yellow-control to Yellow-1 dynamic inject per E/O Manager - request facility management shut off building fire bells
1057	Blue		Advised Blue-1 and Blue-2 that IC needs to work through crowd issue in B750 and that personnel are not to be released to reenter 371/374
1058	Blue		Broomfield Ambulance leaving scene with patient #3 and are enroute to OMD
1100	Green		Was informed by Green-9 that patient #3 was enroute to OMD Decon in Bldg. 122
1100	Green		Was informed that the ICP at scene is being relocated to the NW area because of contamination at current location
1100	Green		Was informed by Green-9 that 3rd victim has arrived @ OMD Decon
1100	Red		Red-1 will inject message to WSI Rep in EOC to make site announcement for plant population "Do Not Call CAS or SAS to request B374 alarms be turned off"
1100	Yellow		Yellow-1 to Yellow-Control victim #3 (last) with Broomfield Ambulance enroute to OMD
1101	Blue		Message 5-1 - Blue-4 advised message has been dropped
1102	Red		Red-3 reported to control cell actual med response. 50 yr old male fall victim w/hand injury. Transporting actual injured patient to OMD via portal 2
1103	Blue		Broomfield Ambulance arrived at OMD with patient #3
1103	Green		Green-9 reports actual injured patient being sent to OMD. Gave instruction to continue play as advised
1104	Blue		ICP is moving to NW corner of B 371/374 due to rad readings of 100-200 cpm at previous location; route of travel west along north road
1105	Blue		Blue-11 informed control that OMD has been notified that the Fire Dept is transporting an ACTUAL fall victim to OMD; this does not impact their exercise participation
1105	Green		Green-4 reported 3rd victim was located and being transported to OMD with 240 dpm on face, less than MPA on stretcher and containment
1108	Green		Was informed that FST alpha vehicle was obtaining gasoline because external dosimetry didn't fill up after use
1110	Green		PAC II & HAC requests RAD Con controller to meet FST at PACII. Green-1 w/follow up
1113	Red		Red-3 reporting Fire officers on scene requesting approval from ED to re-enter B374 to reset fire phones and turn off fire alarms. Per ED that request must go thru EOC (re-entry function). Info passed to red-3 - forward request thru EOC

READY 2000 MSEL

TIME	REPORTED	MESG. #	EXERCISE EVENT/ACTIVITY
1115	Blue		Weather update delivered to Blue Net - 66 degrees F, 334 degrees NW to SE, 32% humidity, 8 mph - gust to 10 mph
1115	Blue		IC delivering briefing to ICP staff in preparation to turn command over to bldg mgmt. Working on closing out emergency operations
1115	Green		Team Bravo is at Gas house awaiting fuel. Has been given direction to report to PAC 2 after fueling
1116	JIC		Media Advisory #2
1116	Yellow		Yellow-Control to Yellow Net weather update - 66 degrees F, 334 degrees NW to SE, 32% humidity, 8 mph - gust to 10 mph
1120	Green		Green-7 reports FS Team alpha @ sapling point 8B conducting ground disposition surveys as directed
1121	Blue		Blue-11 advised that patient #3 in decon trailer receiving treatment (actual patient -fall victim- also being treated by non-exercise staff)
1121	Red		red-3 reporting status of actual response: victim has lacerated elbow and is currently being treated at OMD
1122	Yellow		Yellow-2 reports Fire Dept requesting to start cleanup of hoses - approved per ED
1124	Green		Green-1 reports to PACII as controller was informed it has been locked down. As part of play, sheltering by site
1126	Red		Env. FWC requesting to send engineer to pull the effluent filter from B374 stack. ED did not approve, this is part of recovery planning. Red-2 should inject this info at this time
1129	Green		Green-7 reported that FST Alpha was directed to conduct surveys at sampling points onsite. Will advise points A & Q
1130	Red		Decision made to lift Site sheltering except for immediate area. Announcement to be made shortly regarding lifting shelter & extended lunch hours.
1132	Blue		Patient #3 released by OMD; OMD personnel currently working on evaluating and cleaning OMD decon trailer
1133	Green		Green-1 is @ the NW corner of B374 watching activities of Fire Dept & RCTs. Is not @ PAC II
1135	Green		Green-7 reports that 37 cpm was detected @ sampling point ALPHA by FST ALPHA
1140	Green		Green-9 reports 3rd victim was deconned & treated at OMD & transferred to offsite hospital (simulated)
1140	Green		Green-7 reports FST Bravo reporting 30 cpm @ sampling point Q
1144	Blue		Blue-2 reports drinking water arrived at the relocated ICP at approx 1100
1145	Green		reporting to green net sheltering has been lifted
1145	Green		field play terminated-conduct hot wash & attend C/E debrief in T130E
1145	Red		Requested EOC call Bill @ X4334 to extend lunch hours to 1:30 per ED. Per Red-1, Nancy Tour & Bob Card said 1:00 is sufficient
1147	CC		Termiate Field Play
1157	CC		EOC Terminated