

# Incorporation of Novel Nanostructured Materials into Solar Cells and Nanoelectronic Devices

Presented by

Prof. Rene Rodriguez  
Department of Chemistry  
Idaho State University



Idaho DOE EPSCoR  
Program

# Overview

- **Co-PIs**
- **Capabilities**
- **Research Groups**
- **Basic Scientific Studies**
- **Applications/Devices**

# Co-Principal Investigators




**Prof. Chien  
Wai**  
Univ. of  
Idaho  
Dept. of  
Chemistry



**Prof. Pamela  
Shapiro**  
Univ. of  
Idaho  
Dept. of  
Chemistry



**Prof. Dmitri  
Tenne**  
Boise State  
Univ.  
Dept. of  
Physics



**Prof. Leah  
Bergman**  
Univ. of  
Idaho  
Dept. of  
Physics



**Prof. You  
Qiang**  
Univ. of  
Idaho  
Dept. of  
Physics



**Prof. Alan  
Hunt**  
Idaho State  
Univ.  
Dept. of  
Physics



**Prof.  
Joshua Pak**  
Idaho State  
Univ.  
Dept. of  
Chemistry



**Prof. Alex  
Punnoose**  
Boise State  
Univ.  
Dept. of  
Physics



**Prof. Chris  
Berven**  
Univ. of  
Idaho  
Dept. of  
Physics

# Geography



**Idaho State**  
UNIVERSITY

# Capabilities

Chris Berven and Alan Hunt

Tools for electrical measurements such as low-noise/small-signal charge transport

- Keithley source measure units for measuring current-voltage characteristics, AM1.5 and LED light sources
- Digital lock-in amplifiers for differential conductivity tests and inelastic tunneling spectroscopy. These are set up to perform measurements as a function of temperature and with a back-gate (three terminal device) experiments.
- Environmental chambers for controlling the atmosphere (10e-7 torr to 3 p.s.i. over 1 atm.), temperature (110 K to 400 K) and illumination. A 6 K continuous flow cryostat for minimization of the thermal signal with an optical window for optical excitation.
- 300 mK cryostat with an 8 T magnet for performing high magnetic field experiments at low temperatures to perform magneto-resistance measurements.

# Capabilities

**Joshua Pak, Pamela Shapiro, Chien Wai, Rene Rodriguez**

Tools to perform chemical and nanoparticle synthesis, functionalization, and characterization

- Microwave, photochemical, and supercritical CO<sub>2</sub> reactors, and PECVD reactors
- Spin coater for depositing thin films
- Methodology to build dye-sensitized solar cells and composite solar cells as well.
- Spectrophotometric and spectrometric characterization instrumentation including XRD, IR microscopy, NMR, Raman microscopy, fluorimetry, UV-Vis, SEM/EDS, Mass Spectrometry
- Single Crystal X-ray Crystallography Instrument

# Capabilites

**Alex Punnoose, You Qiang, Leah Bergman, Dmitri Tenne**

Thin Film and nanoparticle synthesis and magnetic and optical characterization

- Nanoparticle synthesis ball milling, magnetron nanocluster deposition
- Rf and dc sputter deposition ( $\text{SnO}_2$ ,  $\text{ZnO}$ ,  $\text{TiO}_2$ )
- XRD and TEM, EDS/STEM, bio-TEM, electron diffraction) XPS measurements  
Zetapotential, nanoparticle surface charges, agglomeration behavior in different media, thermogravimetric analyzer
- Magnetic measurements (4 to 1200K), Curie temperature measurements, Quantum Design SQUID (up to 7 T field, 1.5 – 400 K), Conductivity and magneto-resistance (MR) measurements
- Spectrophotometry including high Resolution Raman w/ closed cycle He cryostat and high temperature stage, photoluminescence, transmittance, diffuse reflectance, absorbance, band gap measurements, EPR spectroscopy (transition metal dopant sites)

# Research Groups



# Training Future Researchers

• Research Asst.	Degree	Sponsoring Dept.	
• 1. Anna Hoskins	Ph.D. candidate	Dept. of Physics	ISU
• 2. Ian Kiahara	BS/MS student	Dept. of Chemistry	ISU
• 3. Dominic Denty	BS/MS student	Dept. of Chemistry	ISU
• 4. Stephanie Pritchard	undergraduate	Dept. of Chemistry	ISU
• 5. Robert Barnett	undergraduate	Dept. of Chemistry	ISU
• 6. Richard Westover	undergraduate	Dept. of Chemistry	ISU
• 7. Ben Donahoo	undergraduate	Dept. of Chemistry	ISU
• 8. Jeffery Hess	undergraduate	Dept. of Chemistry	ISU
• 9. Jordan Reynolds	undergraduate	Dept. of Chemistry	ISU
• 10. Joshua Peterson	H. S. Student	ID Falls H.S./Chem.	ISU
• 11. Dr. Joseph Gardner	Postdoc.	Dept. of Chemistry	ISU
• 12. Ryan Souza	graduate student	Dept. of Physics	UI
• 13. Yufeng Tian	graduate student	Dept. of Physics	UI
• 14. McConaughey	undergraduate	Dept. of Chemistry	UI
• 15. M. R. Kongarac	Postdoc.,	Dept. of Physics	BSU
• 16. Chadd Vankomen	undergraduate	Dept. of Physics	BSU
• 17. Paul Turner	undergraduate	Dept. of Physics	BSU
• 18. Joshua Anghel	undergraduate	Dept. of Physics	BSU

# Training Researchers (cont.)

• <b>Research Asst.</b>	<b>Degree</b>	<b>Sponsoring Dept.</b>	
• 19 Aaron Thurber	graduate student	Dept. of Physics	BSU
• 20. Jesse Huso	graduate student	Dept. of Physics	UI
• 21. Sirisha Chava	graduate student	Dept. of Physics	UI
• 22. Pramod Gadde	graduate student	Dept. of Physics	UI
• 23. Jacob Turner	graduate student	Dept. of Physics	UI
• 24. Sarah Levine	undergraduate/REU	Dept. of Physics	UI
• 25. Mark Williams	graduate student	Dept. of Chemistry	UI
• 26. Rawda Okasha	Postdoc.	Dept. of Chemistry	UI
• 27. Mike Fernandez	undergraduate	Dept. of Chemistry	ISU
• 28. Cyril Bajacharya	undergraduate	Dept. of Chemistry	ISU
• 29. Lisa Lau	technician/R.A.	Dept. of Chemistry	ISU
• 30. Jeff Mottishaw	graduate student	Dept. of Chemistry	ISU
• 31. Paul Turner	undergraduate	Dept. of Physics	BSU
• 32. Jonathan Schmidt	graduate student	Dept. of Physics	BSU
• 33. Trevor Engman	undergraduate	Dept. of Physics	BSU
• 34. Carlos Fernandez	Ph.D. thesis (2007)	Dept. of Chemistry	UI
• 35. Horng-bin Pan	graduate student	Dept. of Chemistry	UI



# Project Focus

**The Project, “Incorporation of Novel Nanostructured Materials into Solar Cells and Nanoelectronic Devices,”**

**Basic scientific research efforts have been focused in two main areas:**

1. The formation and characterization of doped and un-doped transition metal oxide semiconductor nanoparticles, and studies of their interesting magnetic and optical properties including the effect of size and packing on these properties

2. The formation and characterization of tunable bandgap metal sulfide semiconductor nanoparticles, and studies of the formation of these semiconductor nanoparticles from small molecular clusters.



# Alex Punnoose and Dmitri Tenne

## Magnetic and optical properties of doped Transition Metal oxides



Size control for synthesis of ZnO nanoparticles

Prepared 4-20nm particles

Bandgap varies with size

Can encapsulate with fluorescent dye

Preparation of Co doped  $\text{SnO}_2$  thin films that may show strongest ferromagnetic behavior



# You Qiang, Leah Bergman, Chris Berven


Magnetic and optical properties of doped Transition Metal oxides

Ferromagnetic doped ZnO and Cu<sub>2</sub>O

Conc. Range 0.2% to 30% Cobalt


Optical & Magnetic properties change

Giant Magnetoresistance effect found



Core shell ZnO/Zn nanoclusters study

Red shift in photoluminescence




Composition ranging from pure ZnO to 30% Mg

Synthesis of Mg<sub>x</sub>Zn<sub>1-x</sub>O nanoalloy system

Studied photoluminescence 0 to 30% Mg

Phase segregation occurs at ~40%

Anti-doping effect, lowering of  
electrical conductivity results when  
Mg<sub>x</sub>Zn<sub>1-x</sub>O is exposed to H<sub>2</sub> gas



# Joshua Pak, You Qiang, Alan Hunt

Formation of doped and undoped  $\text{TiO}_2$  nanoparticles of a specific size and packing

Deposit  $\text{TiO}_2$  nanoparticles of a specified size using magnetron sputtering system:



Low Temp. Yields  $\text{TiO}$

Anneal at  $450^\circ\text{C}$  yields  $\text{TiO}_2$

Metal Doped  $\text{TiO}_2$

0.25% Silver gives increase in efficiency

Study surface plasmon vs increase in conductivity



# Prof. Pak, Prof. Shapiro, Prof. Wai, Prof. Rodriguez

Formation and Study of the production of CuInS<sub>2</sub> and PbS semiconductor nanoparticles

For CuInS<sub>2</sub>, single source precursors, (PPh<sub>3</sub>)<sub>2</sub>Cu(SEt)<sub>2</sub>In(SEt)<sub>2</sub>


Decompose using heat, light, microwave, rf-plasma

Study decomposition in supercritical CO<sub>2</sub>, SCC

Use light decomposition to study the mechanism,  
molecular clusters




Nanoparticle size increases w/Temp.




For PbS, use microemulsions in SCC to control  
nanoparticle formation

Tuning density allows tuning of nanoparticle size

Adjustment of the water/surfactant ratio, also affects size



S. L. Castro, S. G. Bailey, R. P. Raffaelle, K. K. Banger, A. F. Hepp, *Chem. Mater.*, **15**, 3142-3247 (2003).



# Devices

**Hydrogen Gas Sensor**

**Cathodoluminescent Cell**

**Nanoparticle Photovoltaic Cell**


# Hydrogen Sensor


Ferromagnetism (FM) is produced in some semiconductor materials at room temp. through transition metal doping.

Proposed mechanisms for the FM ordering in dilute magnetic semiconductor oxides involve oxygen vacancies causing changes in carrier conc.

Iron doped  $\text{SnO}_2$  nanoparticles of sizes from 20 to 70 nm show FM behavior with a Curie temperature  $T_c \leq 850$  K

The magnitudes of the FM parameters vary with oxygen stoichiometry. The presence of a reducing gas like  $\text{H}_2$  affects the oxygen.





Compared to electrical-property-based gas sensors, magnetic gas sensors would be attractive

1. No electrical contacts are required allowing nanoscale powder samples for static and moving systems
2. Nanoparticle samples have a much larger surface area providing greatly improved sensitivity.



# Cathodoluminescent Cell

Monodisperse pure ZnO nanoclusters can be deposited using the magnetron sputter deposition instrumentation

ZnO nanoclusters are deposited on indium tin oxide (ITO) coated glass substrate.


The sample is assembled with a carbon nanotube (CNT) electron emitter in a diode mode with 600 microns gap between them. The cathode cross section is  $\sim 1 \text{ cm}^2$ .

A bias is applied between anode and cathode: a) 10 mA (1700V) current, and b) 20 mA (1800V).



Cathodoluminescence spectra of ZnO nanoclusters measured using different electron emission currents.

The blue curve is from 10 mA CNT electron emission current and the red curve is from the 20 mA.





# Nanoparticle Photovoltaic Cell


Make Chalcogenide Nanoparticles like  
 $\text{Cu}(\text{In},\text{Ga})(\text{S},\text{Se})_2$  from single source  
precursors



Tunable Size  
Tunable Composition



Incorporate into Nanocomposite Solar  
Cell/Sensor



# Acknowledgements

**DOE EPSCoR Grant Application # DE-FG02-04ER46142**

**Thin Film & Nanotechnology Group at NASA Glenn Research Center**

**Idaho National Laboratory**

**Pacific Northwest Lab, EMSL Facility**

**Universities in Idaho**

# References

- 1. Joseph Gardner, Endrit Shurdha, Lisa Lau, Chongmin Wang, R. Rodriguez, and Joshua J. Pak "Size-Selective Synthesis of Ternary Chalcopyrite CuInS<sub>2</sub> and CuIn<sub>x</sub>Ga<sub>1-x</sub>S<sub>2</sub> Nanoparticles via Microwave Irradiation.", *Angew. Chem.* 2008, Submitted.
- 2. David Stay, Jason Bateman, Tyler Baker, Marie Herring, Rene G. Rodriguez, and Joshua J. Pak, "Preparation and Study of Highly Conjugated Bipyridines and Their Ru Complexes," *J. Het. Chem.* 2008, Submitted.
- 3. C. M. Wang, D. R. Baer, J. E. Amonette, M. H. Engelhard, Y. Qiang , and J. Antony, "Morphology and Oxide Shell Structure of Iron Nanoparticles Grown by Sputter-Gas-Aggregation", *Nanotechnology*, 18(2007)255603
- 4. C. M. Wang, D. R. Baer, J. E. Amonette, M. H. Engelhard, M. J. Antony, Y. Qiang, and J. Cazaux, "Electron Beam Induced Thickening of the Protective Oxide Layer around Fe Nanoparticles", *Ultramicroscopy*, 108 (2007) 43-51
- 5. Y.F. Tian, J. Antony, R. Souza, Y. Qiang, S.S. Yan and L.M. Mei, "Giant positive magnetoresistance in Co-doped ZnO nanocluster films", *Applied physics letter*, in press, 2008
- 6. C. M. Wang, L. V. Saraf, and Y. Qiang, "Microstructures of ZnO films deposited on (0001) and r-cut  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> using MOCVD", *Thin Solid films*, in press. 2008.
- 7. Hua Wang, Denise Wingett, Mark H. Engelhard, K. M. Reddy, Janet Layne, Paul Turner, K. Feris, Dmitri Tenne, Chongmin Wang and Alex Punnoose, "FITC Encapsulated Fluorescent ZnO Particles with Cell-specific Toxicity for Cancer Treatment and Biomedical Applications" *Journal of Materials Science: Materials in Medicine* 2007 submitted, 2007
- 8. A. Thurber, K. M. Reddy, V. Shutthanandan, M. H. Engelhard, C. Wang, J. Hays\* and A. Punnoose, "Ferromagnetism in chemically synthesized CeO<sub>2</sub> nanoparticles by Ni doping" *Physical Review B*, 76, 165206 (2007).
- 9. C. Van Komen, A. Thurber, K. M. Reddy, J. Hays and A. Punnoose, "Structure – magnetic property relationship in transition metal doped tin dioxide nanoparticles", *Journal of Applied Physics* (Accepted 2007)
- 10. Xiang-Bai Chen, Jesse Huso, John L. Morrison, and Leah Bergman, "The properties of ZnO photoluminescence at and above room temperature" *J. Appl. Phys.* 102, 116105 (2007).

# References

- 11. Leah Bergman, Jesse Huso, and John Morrison, "Bandgap Engineered MgZnO Nanocrystals for Photoluminescence Applications" Electrochemical Society, 212th Meeting Abstract book, 702, 1328 (2007).
- 12. Jesse Huso, John L. Morrison, Heather Hoeck, Erin Casey, Leah Bergman, T. D. Pounds, and M. G. Norton, "Low temperature LO-phonon dynamics of MgZnO nanoalloys" Appl. Phys. Lett. 91, 111906 (2007) (Paper selected by the American Physical Society and the American Institute of Physics to appear in their Virtual Journal of Nanoscale Science & Technology, issue of 9-24-2007. <http://www.vjnano.org>)
- 13. W. M. Hlaing Oo, M. D. McCluskey, J. Huso, and L. Bergman, "Infrared and Raman spectroscopy of ZnO nanoparticles annealed in hydrogen," J. Appl. Phys., 102, 043529 (2007).
- 14. R. Rodriguez, R. Fox, J. Pak, L. Lau, E. Shrudha and P. Shapiro, "Supercritical CO<sub>2</sub> Assisted Deposition of CuInS<sub>2</sub> Nanoparticles from Single Source Precursors", R. Rodriguez, R. Fox, J. Pak, L. Lau, and E. Shrudha, J. Supercritical Fluids, Mar 2008 submitted (under revision)
- 15. Y. Sakaguchi, D. A. Tenne, and M. Mitkova, " Structural development in Ge-rich Ge-S glasses", Journal of Non-Crystalline Solids, 2008 submitted
- 16. Carlos Fernandez, Chien M. Wai, "A Simple and Rapid Method of Making 2D and 3D Arrays of Gold Nanoparticles", J. Nanosci. Nanotech. 2006, 6, 669-674.
- 17. Carlos Fernandez, Chien M. Wai, "Continuous Tuning of Silver Nanoparticle Size in a Water-in-CO<sub>2</sub> Microemulsion", Small 2006, 2, 1266-1269.
- 18. Carlos Fernandez and Chien M. Wai, "Continuous Tuning of CdS and ZnS Nanoparticle Size in a Water-in-Supercritical Carbon Dioxide Microemulsion", Europ. J. Chem. 2007, 13, 5838-5844.