

# 2008

## Nevada Test Site Annual Illness and Injury Surveillance Report



## **Nevada Test Site**

### **2008 Illness and Injury Surveillance Report**

Questions or comments about this report or the Illness and Injury Surveillance Program (IISP) may be directed to:

E-mail:

Dr. Cliff Strader at [\*\*cliff.strader@hq.doe.gov\*\*](mailto:cliff.strader@hq.doe.gov)  
or Dr. Bonnie Richter at [\*\*bonnie.richter@hq.doe.gov\*\*](mailto:bonnie.richter@hq.doe.gov)

or direct letters to:

Mail Stop HS-13 / 270CC  
U.S. Department of Energy  
1000 Independence Avenue, S.W.  
Washington, DC 20585-0270

Additional information about the Department of Energy's Office of Illness and Injury Prevention Programs, the IISP, and annual reports for DOE sites participating in this program can be found at:

[\*\*http://www.hss.energy.gov/healthsafety/WSHP/epi/surv/\*\*](http://www.hss.energy.gov/healthsafety/WSHP/epi/surv/)



#### ACKNOWLEDGEMENT

LifeART images copyright 2000 Lippincott Williams & Wilkins. All rights reserved.

This document was produced under contract number DE-AC05-06OR23100 between the  
U.S. Department of Energy and Oak Ridge Associated Universities.

**Nevada Test Site**  
**2008 Illness and Injury Surveillance Report**

**At A Glance**

A total of 4,260 NTS employees were included in illness and injury surveillance in 2008. There were 1,185 (28 percent) women and 3,075 (72 percent) men in the work force. The 2008 work force had 9 percent fewer workers than in 2007.

The 162 absences reported among 139 women resulted in an absence rate of 14 per 100 workers ( $162/1,185$ ). Among the 3,075 men, 291 absences resulted in an absence rate of 9 per 100 workers ( $291/3,075$ ).

Service workers had the highest absence rate among both men and women, 17 per 100 men ( $10/60$ ) and 27 per 100 women ( $6/22$ ).

Musculoskeletal disorders continued to be among the most common diagnoses reported by both men and women, as they have been since 2003.

Women lost 4,121 calendar days due to illness and injury in 2008. Musculoskeletal disorders (16 percent), injuries (16 percent), and unspecified symptoms (16 percent) accounted for 48 percent of all reported diagnoses among women.

Men lost 5,445 calendar days due to illness and injury. Fifty percent of all reported diagnoses among men were due to musculoskeletal disorders (15 percent), injuries (14 percent), and unspecified symptoms (21 percent).

Eleven sentinel health event occupational (SHEO) diagnoses were reported in 2008. Four diagnoses were for carpal tunnel syndrome, reported by 1 Professional worker and 2 Crafts workers. Other diagnoses included 3 injuries, 2 musculoskeletal disorders, 1 digestive disorder, and 1 infectious disease. The SHEOs resulted in a total of 251 days absent.

Men reported 44 and women reported 10 OSHA-recordable events in 2008.

The rate of OSHA events was 1 per 100 workers among men and women, the same rate for men and women in 2007.

Occupational illnesses and injuries resulted in a total of 1,091 lost or restricted workdays reported at NTS in 2008, a 15 percent increase since 2007. Security and Fire workers had the highest rate of OSHA events among men (3.7 per 100 workers) and Crafts workers had the highest rate among women (2.8 per 100 workers).

OSHA-recordable rates increased from 2003 for men and 2004 for women in Security and Fire occupations, but both rates began to decline after 2006. The rates have been increasing slowly since 2006 among both men and women in Technical Support occupations.

Injuries accounted for more than 50 percent of the diagnoses for both men and women, with the most common type being sprains and strains.

The type of accident most commonly reported among men and women was overexertion and strenuous movements.

When the rate for OSHA-recordable injuries was considered separately, the highest rates were among Crafts workers among women and Security and Fire workers among men.

## **The Nevada Test Site Work Force – 2008**

The Work Force by Gender and Age ..... 1

The Work Force by Gender and Job Category ..... 1

### **Number and Length of Absences**

Absence Rate by Gender and Age ..... 2

Number of Days Absent by Gender and Age ..... 2

Absence Rate by Job Category and Gender ..... 3

Average Duration of Absence by Job Category and Gender ..... 3

### **Diagnostic Categories**

Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender ..... 4

Common Diagnoses Among Female Workers in 2008 ..... 5

Common Diagnoses Among Male Workers in 2008 ..... 6

Number of Most Frequently Reported Diagnoses by Job Category and Gender ..... 7

### **Rates of Disease Occurrence**

Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age ..... 8

Rates for Selected Diagnostic Categories by Job Category, Gender, and Age ..... 8

### **Time Trends**

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2008 ..... 10

Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2008 ..... 11

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2008 ..... 12

### **Sentinel Health Events for Occupations (SHEOs)**

Characteristics of SHEOs by Gender ..... 13

SHEO Diagnoses by Gender ..... 13

### **Occupational Safety and Health Administration (OSHA)-Recordable Events**

OSHA-Recordable Events by Gender and Age ..... 14

OSHA-Recordable Events by Job Category and Gender ..... 14

### **Diagnostic and Accident Categories for OSHA-Recordable Events**

OSHA-Recordable Diagnoses by Diagnostic Category and Gender ..... 15

OSHA-Recordable Accidents by Type and Gender ..... 16

### **Rates of OSHA-Recordable Events**

OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined ..... 17

OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined ..... 17

### **Time Trends for OSHA-Recordable Events**


Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2008 ..... 18

### **Appendices**

Appendices A-W ..... 20

## The Nevada Test Site Work Force - 2008

**Figure 1. The Work Force by Gender and Age**




**Figure 2. The Work Force by Gender and Job Category**

Job Category	Women	Men
Professional	<b>627</b> 53%	<b>1,513</b> 49%
Administrative Support	<b>298</b> 25%	<b>63</b> 2%
Technical Support	<b>146</b> 12%	<b>430</b> 14%
Service	<b>22</b> 2%	<b>60</b> 2%
Security and Fire	<b>21</b> 2%	<b>379</b> 12%
Crafts	<b>71</b> 6%	<b>628</b> 21%
Line Operators	<b>0</b> 0%	<b>2</b> <1%
Total	<b>1,185</b> 100%	<b>3,075</b> 100%



## Number and Length of Absences

**Figure 3. Absence Rate by Gender and Age**



**Figure 4. Number of Days Absent by Gender and Age**


Gender	Age	Number of Absences	Number of Days Absent	
			Total	Average
Women	16-29	13	307	24
	30-39	19	377	20
	40-49	41	938	23
	50+	89	2,499	28
	Total	162	4,121	25
Men	16-29	26	340	13
	30-39	47	761	16
	40-49	62	887	14
	50+	156	3,457	22
	Total	291	5,445	19


**Figure 5. Absence Rate by Job Category and Gender****Figure 6. Average Duration of Absence by Job Category and Gender**

**Diagnostic Categories****Figure 7. Number of Diagnoses and Lost Calendar Days by Diagnostic Category  
(Categorized by ICD-9-CM) and Gender**

Diagnostic Category	Women		Men	
	Number of Diagnoses	Number of Lost Calendar Days	Number of Diagnoses	Number of Lost Calendar Days
Benign Growths	8	263	5	150
Blood	0	0	2	10
Cancer	3	274	8	150
Digestive	26	781	49	562
Endocrine/Metabolic	9	308	38	595
Existing Birth Condition	1	28	0	0
Genitourinary	19	310	12	319
Heart/Circulatory	30	535	55	883
Infections/Parasites	11	68	27	157
Injury	57	1,647	89	1,371
Miscarriage	1	11	NA	NA
Musculoskeletal	58	1,082	95	1,653
Nervous System	13	228	17	225
Psychological	12	299	18	469
Respiratory	54	321	75	571
Skin	4	70	14	200
Unspecified Symptoms	57	476	139	844

Note: Lost calendar days for each absence are counted more than once when multiple diagnoses occur in different diagnostic categories for the same absence.

**Figure 8. Common Diagnoses Among Female Workers in 2008**








**Figure 9. Common Diagnoses Among Male Workers in 2008**

**Figure 10. Number of Most Frequently Reported Diagnoses by Job Category and Gender**








Job Category	Men	Women
Professional	Unspecified Symptoms 36	Musculoskeletal 28
	Heart/Circulatory 36	Respiratory 22
	Respiratory 28	Injury 19
Administrative Support	Unspecified Symptoms 9	Unspecified Symptoms 20
	Psychological 6	Respiratory 17
	Nervous System 2	Injury 17
Technical Support	Musculoskeletal 16	Injury 15
	Unspecified Symptoms 8	Unspecified Symptoms 7
	Injury 8	Musculoskeletal 5
Service	Musculoskeletal 4	Respiratory 4
	Heart/Circulatory 4	Genitourinary 3
	Unspecified Symptoms 2	Injury 2
	Injury 2	Unspecified Symptoms 2
	Endocrine/Metabolic 2	Musculoskeletal 2
	Skin 2	
Security and Fire	Unspecified Symptoms 30	Unspecified Symptoms 3
	Injury 25	Digestive 3
	Respiratory 24	Respiratory 2
Crafts	Unspecified Symptoms 54	Unspecified Symptoms 13
	Musculoskeletal 34	Musculoskeletal 7
	Injury 27	Respiratory 5
Line Operators	0	0

## Rates of Disease Occurrence

**Figure 11. Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age**

<b>All Illnesses &amp; Injuries Combined</b>	<b>Job Category</b>	<b>Rate per 1,000</b>		
		<b>Age</b>	<b>Men</b>	<b>Women</b>
	Professional	<50	93	185
		50+	177	290
	Administrative Support	<50	81	308
		50+	692	401
	Technical Support	<50	89	147
		50+	194	487
	Service	<50	286	643
		50+	308	625
	Security and Fire	<50	330	800
		50+	431	0
	Crafts	<50	295	167
		50+	331	886
	Line Operators	<50	0	0
		50+	0	0

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age**

<b>Cancer</b>	<b>Job Category</b>	<b>Rate per 1,000</b>		
		<b>Age</b>	<b>Men</b>	<b>Women</b>
	Professional	<50	0	3
		50+	6	3
	Administrative Support	<50	0	7
		50+	0	0
	Technical Support	<50	0	0
		50+	0	0
	Service	<50	0	0
		50+	0	0
	Security and Fire	<50	0	0
		50+	0	0
	Crafts	<50	0	0
		50+	9	0
	Line Operators	<50	0	0
		50+	0	0

**Figure 12. Rates for Selected Diagnostic Categories  
by Job Category, Gender, and Age (Continued)**

<b>Heart/Circulatory</b>	<b>Rate per 1,000</b>			
	<b>Job Category</b>	<b>Age</b>	<b>Men</b>	<b>Women</b>
Professional	<50	2	6	
	50+	39	38	
Administrative Support	<50	0	7	
	50+	0	53	
Technical Support	<50	0	15	
	50+	24	38	
Service	<50	48	0	
	50+	77	125	
Security and Fire	<50	6	67	
	50+	0	0	
Crafts	<50	3	0	
	50+	22	57	
Line Operators	<50	0	0	
	50+	0	0	


<b>Respiratory</b>	<b>Rate per 1,000</b>			
	<b>Job Category</b>	<b>Age</b>	<b>Men</b>	<b>Women</b>
Professional	<50	20	38	
	50+	18	31	
Administrative Support	<50	0	41	
	50+	38	72	
Technical Support	<50	9	0	
	50+	10	51	
Service	<50	48	286	
	50+	0	0	
Security and Fire	<50	59	133	
	50+	86	0	
Crafts	<50	26	56	
	50+	28	86	
Line Operators	<50	0	0	
	50+	0	0	

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)**

Injury	Job Category	Rate per 1,000		
		Age	Men	Women
	Professional	<50	16	21
		50+	18	42
Administrative Support		<50	0	48
		50+	38	66
Technical Support		<50	18	0
		50+	19	192
Service		<50	95	71
		50+	0	125
Security and Fire		<50	59	67
		50+	103	0
Crafts		<50	66	28
		50+	22	57
Line Operators		<50	0	0
		50+	0	0


## Time Trends

**Figure 13. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2008\***




\*Standardized to age distribution of 2000 U.S. population.

**Figure 14. Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2008\***



\*Standardized to age distribution of 2000 U.S. population.

**Figure 15. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2008\***



\*Standardized to age distribution of 2000 U.S. population.

## Sentinel Health Events for Occupations (SHEOs)

An occupational sentinel health event (SHEO) is a disease, disability, or death that is likely to be occupationally related. Although sentinel health events may indicate an occupational exposure, many may result from nonoccupational exposures. Sentinel health events are therefore assessed in two categories:

*Definite Sentinel Health Events:* Diseases that are unlikely to occur in the absence of an occupational exposure (e.g., asbestosis).

*Possible Sentinel Health Events:* Diseases that may be occupational but can also occur in the absence of an occupational exposure (e.g., lung cancer or carpal tunnel syndrome).

**Figure 16. Characteristics of SHEOs by Gender**


	Total Number of SHEO Diagnoses		Total Number of Days Absent	
	Men	Women	Men	Women
<b>Definite</b>	<b>0</b>	<b>5</b>	<b>0</b>	<b>116</b>
<b>Possible</b>	<b>5</b>	<b>1</b>	<b>67</b>	<b>68</b>
<b>Total</b>	<b>5</b>	<b>6</b>	<b>67</b>	<b>184</b>

**Figure 17. SHEO Diagnoses by Gender**


Diagnoses	Gender	
	Women	Men
<b>Carpal Tunnel Syndrome</b>	<b>1</b>	<b>3</b>
<b>Musculoskeletal Conditions</b>	<b>2</b>	<b>0</b>
<b>Injuries</b>	<b>3</b>	<b>0</b>
<b>Other Conditions</b>	<b>0</b>	<b>2</b>

## Occupational Safety and Health Administration (OSHA)-Recordable Events

**Figure 18. OSHA-Recordable Events by Gender and Age**



**Figure 19. OSHA-Recordable Events by Job Category and Gender**



## Diagnostic and Accident Categories for OSHA-Recordable Events

**Figure 20. OSHA-Recordable Diagnoses by Diagnostic Category and Gender**


<b>Diagnostic Category</b>	<b>Gender</b>	
	<b>Women</b>	<b>Men</b>
Digestive	0	2
Musculoskeletal	9	17
Nervous System	1	1
Skin	0	1
Unspecified Symptoms	0	2
Injury	13	42
Fractures - Upper Limb	0	1
Fractures - Lower Limb	0	1
Dislocations	0	1
Back Sprains & Strains	4	11
Other Sprains & Strains	1	12
Internal Injuries - Thorax, Abdomen, Pelvis	0	1
Open Wounds - Head, Neck, Trunk	3	2
Open Wounds - Upper Limb	0	3
Superficial Injuries	2	0
Bruises	1	3
Foreign Bodies Entering Orifice	1	3
Burns	0	1
Unspecified Injuries	0	2
Adverse Reactions to Non-Medical Substances	0	1
Adverse Reactions to External Causes	1	0

**Figure 21. OSHA-Recordable Accidents by Type and Gender**


<b>Accident Category</b>	<b>Gender</b>	
	<b>Women</b>	<b>Men</b>
	<b>Number of Accidents</b>	<b>Number of Accidents</b>
Motor Vehicle Traffic	1	3
Falls	1	4
Natural/Environmental Factors	1	1
Submersion/Suffocation/Foreign Bodies	1	3
Drug Reaction	1	0
Other Accidents	6	33
Struck by an Object	2	7
Cutting/Piercing Instrument/Object	0	3
Overexertion/Strenuous Movements	3	23
Repetitive Trauma	1	0
Total	11	44

## Rates of OSHA-Recordable Events

**Figure 22. OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined**




**Figure 23. OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined**



## Time Trends for OSHA-Recordable Events

**Figure 24. Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2008\***



\*Standardized to age distribution of 2000 U.S. population.

## **Appendices**

## Nevada Test Site 2008

### Absence Data

#### Appendix A. Work Force by Gender, Age, and Job Category

Job Category	Women					Men						
	Age Group				TOTAL	Age Group				TOTAL		
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +			
Professional	60	84	197	286	627	108	184	321	900	1,513	2,140	
Administrative Support	34	45	67	152	298	13	9	15	26	63	361	
Technical Support	11	24	33	78	146	34	77	113	206	430	576	
Service	3	1	10	8	22	1	2	18	39	60	82	
Security and Fire	8	4	3	6	21	135	85	101	58	379	400	
Crafts	7	8	21	35	71	47	103	155	323	628	699	
Line Operators	0	0	0	0	0	0	1	1	0	2	2	
<b>TOTAL</b>	<b>123</b>	<b>166</b>	<b>331</b>	<b>565</b>	<b>1,185</b>	<b>338</b>	<b>461</b>	<b>724</b>	<b>1,552</b>	<b>3,075</b>	<b>4,260</b>	

#### Appendix B. Age Distribution of the Work Force by Gender

Year	Women				Men					
	Percent Distribution by Age Group				Percent Distribution by Age Group					
	16 - 29	30 - 39	40 - 49	50 +	16 - 29	30 - 39	40 - 49	50 +		
2002	12.28	21.63	31.98	34.11	8.38	15.54	29.99	46.09		
2003	10.17	20.71	33.53	35.59	8.64	15.36	29.47	46.53		
2004	11.39	19.32	31.41	37.88	10.98	14.32	28.90	45.80		
2005	11.03	17.20	33.09	38.68	11.30	14.06	29.01	45.62		
2006	9.77	16.16	32.15	41.92	12.99	13.76	27.70	45.55		
2007	10.55	13.92	30.24	45.28	12.51	14.13	25.23	48.14		
2008	10.38	14.01	27.93	47.68	10.99	14.99	23.54	50.47		

## Nevada Test Site 2008

### Absence Data

#### Appendix C. Total Number of Workers Who Reported at Least One Absence by Gender, Age, and Job Category\*

Job Category	Women					Men					TOTAL	
	Age Group				TOTAL	Age Group				TOTAL		
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +			
Professional	1	4	27	35	67	1	8	16	64	89	156	
Administrative Support	3	7	4	26	40	0	1	1	4	6	46	
Technical Support	1	1	3	10	15	1	3	8	15	27	42	
Service	1	1	1	2	5	0	1	2	4	7	12	
Security and Fire	3	0	0	0	3	18	16	10	9	53	56	
Crafts	1	2	0	6	9	2	12	17	37	68	77	
<b>TOTAL</b>	<b>10</b>	<b>15</b>	<b>35</b>	<b>79</b>	<b>139</b>	<b>22</b>	<b>41</b>	<b>54</b>	<b>133</b>	<b>250</b>	<b>389</b>	

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

#### Appendix D. Total Number of Absences by Gender, Age, and Job Category\*

Job Category	Women					Men					TOTAL	
	Age Group				TOTAL	Age Group				TOTAL		
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +			
Professional	1	4	31	38	74	1	8	19	73	101	175	
Administrative Support	4	10	6	27	47	0	1	1	7	9	56	
Technical Support	1	1	3	14	19	1	4	9	18	32	51	
Service	1	2	1	2	6	0	1	3	6	10	16	
Security and Fire	5	0	0	0	5	22	19	11	10	62	67	
Crafts	1	2	0	8	11	2	14	19	42	77	88	
<b>TOTAL</b>	<b>13</b>	<b>19</b>	<b>41</b>	<b>89</b>	<b>162</b>	<b>26</b>	<b>47</b>	<b>62</b>	<b>156</b>	<b>291</b>	<b>453</b>	

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Age\*

Number of Calendar Days	Women				Men				TOTAL		
	Age Group				TOTAL	Age Group					
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
< 15	9	11	33	49	102	20	37	45	93	195	297
15 - 28	2	2	4	13	21	2	2	7	31	42	63
29 - 42	0	3	0	8	11	3	4	7	9	23	34
43 - 56	0	2	1	9	12	0	1	0	7	8	20
57 - 91	1	1	1	5	8	0	2	2	12	16	24
92 - 182	1	0	1	4	6	1	1	1	2	5	11
183 +	0	0	1	1	2	0	0	0	2	2	4
<b>TOTAL</b>	<b>13</b>	<b>19</b>	<b>41</b>	<b>89</b>	<b>162</b>	<b>26</b>	<b>47</b>	<b>62</b>	<b>156</b>	<b>291</b>	<b>453</b>

\*Only those gender/age combinations with at least one absence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix F. Distribution of the Number of Calendar Days Missed per Absence by Gender and Job Category\*

##### Women

Number of Calendar Days	Job Category						TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
< 15	46	33	8	3	4	8	102
15 - 28	11	4	4	2	0	0	21
29 - 42	6	3	2	0	0	0	11
43 - 56	3	4	4	0	0	1	12
57 - 91	3	1	1	0	1	2	8
92 - 182	4	1	0	1	0	0	6
183 +	1	1	0	0	0	0	2
<b>TOTAL</b>	<b>74</b>	<b>47</b>	<b>19</b>	<b>6</b>	<b>5</b>	<b>11</b>	<b>162</b>

##### Men

Number of Calendar Days	Job Category						TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
< 15	65	7	20	5	47	51	195
15 - 28	13	2	8	2	6	11	42
29 - 42	10	0	0	3	3	7	23
43 - 56	3	0	2	0	1	2	8
57 - 91	8	0	0	0	3	5	16
92 - 182	1	0	1	0	2	1	5
183 +	1	0	1	0	0	0	2
<b>TOTAL</b>	<b>101</b>	<b>9</b>	<b>32</b>	<b>10</b>	<b>62</b>	<b>77</b>	<b>291</b>

\*Only those gender/job category combinations with at least one absence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Women					TOTAL			
		Age Group				16 - 29	30 - 39	40 - 49	50 +	
		16 - 29	30 - 39	40 - 49	50 +					
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	2	2	2	5	11				
-Intestinal Infectious Dis	001-009	1	1	0	0	2				2
-Other Bacterial Dis	030-041	0	0	2	1	3				
-HIV	042	0	0	0	0	0				0
-Viral Dis with Exanthem	050-057	0	0	0	1	1				
-Other Viral Dis & Chlamydiae	070-079	1	1	0	3	5				
-Late Effects	137-139	0	0	0	0	0				0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	2	0	1	3				
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	0	0				0
-Digestive & Peritoneal	150-159	0	0	0	1	1				
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	0	0				0
-Genitourinary	179-189	0	1	0	0	0				1
-Other & Unspecified Sites	190, 193-199	0	1	0	0	0				1
-Lymphatic & Hematopoietic	200-208	0	0	0	0	0				0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	1	2	5	8				
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	0	3	6	9				
-Thyroid Gland Disorders	240-246	0	0	1	1	2				
-Other Endocrine Gland Dis	250-259	0	0	1	0	1				
-Other Metabolic & Immunity Disorders	270-279	0	0	1	5	6				
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	0	0	0				0
<b>MENTAL DISORDERS</b>	<b>290-319</b>	2	0	3	7	12				
-Psychoses	290-299	0	0	0	0	0				0
-Non-Psychotic Disorders	300-302, 306-316	2	0	2	6	10				
-Alcohol Dependence	303	0	0	0	1	1				
-Drug Dependence	304-305	0	0	1	0	1				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	2	8	3	13				
-Other Disorders of Central NS	340-349	0	0	1	0	1				
-Disorders of Peripheral NS	350-359	0	1	2	0	3				
-Disorders of Eye	360-379	0	0	4	2	6				
-Dis of Ear & Mastoid	380-389	0	1	1	1	3				
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	1	0	4	25	30				
-Hypertensive Dis	401-405	0	0	2	10	12				
-Ischemic Heart Dis	410-414	0	0	1	9	10				
-Other Heart Dis	420-429	1	0	0	5	6				
-Cerebrovascular Dis	430-438	0	0	0	0	0				0
-Dis of Arteries & Capillaries	440-448	0	0	0	0	0				0
-Dis of Veins, Lymphatics, Other	451-459	0	0	1	1	2				

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Men				TOTAL	TOTAL		
		Age Group			TOTAL				
		16 - 29	30 - 39	40 - 49					
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	5	8	5	9	27	38		
-Intestinal Infectious Dis	001-009	2	2	0	0	4	6		
-Other Bacterial Dis	030-041	0	1	0	1	2	5		
-HIV	042	0	0	0	1	1	1		
-Viral Dis with Exanthem	050-057	0	0	0	1	1	2		
-Other Viral Dis & Chlamydiae	070-079	3	5	5	5	18	23		
-Late Effects	137-139	0	0	0	1	1	1		
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	0	8	8	11		
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	1	1	1		
-Digestive & Peritoneal	150-159	0	0	0	1	1	2		
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	1	1	1		
-Genitourinary	179-189	0	0	0	2	2	3		
-Other & Unspecified Sites	190, 193-199	0	0	0	1	1	2		
-Lymphatic & Hematopoietic	200-208	0	0	0	2	2	2		
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	1	2	2	5	13		
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	1	2	5	30	38	47		
-Thyroid Gland Disorders	240-246	0	0	0	2	2	4		
-Other Endocrine Gland Dis	250-259	1	1	2	12	16	17		
-Other Metabolic & Immunity Disorders	270-279	0	1	3	16	20	26		
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	1	1	2	2		
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	2	5	11	18	30		
-Psychoses	290-299	0	1	0	0	1	1		
-Non-Psychotic Disorders	300-302, 306-316	0	1	2	9	12	22		
-Alcohol Dependence	303	0	0	0	0	0	1		
-Drug Dependence	304-305	0	0	3	2	5	6		
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	2	3	2	10	17	30		
-Other Disorders of Central NS	340-349	0	0	1	0	1	2		
-Disorders of Peripheral NS	350-359	0	0	1	6	7	10		
-Disorders of Eye	360-379	2	1	0	2	5	11		
-Dis of Ear & Mastoid	380-389	0	2	0	2	4	7		
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	1	4	50	55	85		
-Hypertensive Dis	401-405	0	1	2	20	23	35		
-Ischemic Heart Dis	410-414	0	0	2	13	15	25		
-Other Heart Dis	420-429	0	0	0	13	13	19		
-Cerebrovascular Dis	430-438	0	0	0	3	3	3		
-Dis of Arteries & Capillaries	440-448	0	0	0	1	1	1		
-Dis of Veins, Lymphatics, Other	451-459	0	0	0	0	0	2		

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Women					TOTAL			
		Age Group				16 - 29	30 - 39	40 - 49	50 +	
		16 - 29	30 - 39	40 - 49	50 +					
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	8	3	16	27	54				
-Acute Respiratory Infections	460-466	3	2	5	10	20				
-Other Dis Upper Respiratory Tract	470-478	3	0	3	8	14				
-Pneumonia & Influenza	480-487	0	0	1	3	4				
-Chronic Obstructive Dis	490-496	2	1	7	6	16				
-Other Respiratory Dis	510-519	0	0	0	0	0				
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	6	2	7	11	26				
-Oral Cavity, Saliva Glands, Jaw	520-529	3	0	2	0	5				
-Esophagus, Stomach, Duodenum	530-537	0	1	2	2	5				
-Appendicitis	540-543	0	0	0	0	0				
-Hernia	550-553	1	0	1	2	4				
-Enteritis, Colitis	555-558	0	0	1	2	3				
-Other Intestinal Dis	560-569	0	0	1	1	2				
-Other Digestive Dis	570-579	2	1	0	4	7				
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	2	7	0	10	19				
-Nephritis, Nephrosis	580-589	0	0	0	0	0				
-Other Urinary Dis	590-599	2	0	0	2	4				
-Male Genital Organ Dis	600-608	0	0	0	0	0				
-Pelvic Inflammatory Dis	614-616	0	0	0	1	1				
-Other Female Disorders	617-629	0	7	0	7	14				
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	1	0	1				
-Pregnancy with Abortive Outcome	634-639	0	0	1	0	1				
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	2	2	0	4				
-Infections	680-686	0	2	1	0	3				
-Other	700-709	0	0	1	0	1				
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	4	12	41	58				
-Arthropathies	710-719	1	4	4	16	25				
-Dorsopathies	720-724	0	0	1	16	17				
-Rheumatism, Excluding Back	725-729	0	0	6	6	12				
-Other Dis & Acquired Deformities	730-739	0	0	1	3	4				
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	1	0	0	0	1				
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	5	7	8	37	57				
-Symptoms	780-789	5	7	8	35	55				
-Non-Specific Abnormal Findings	790-796	0	0	0	2	2				
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	5	5	7	40	57				

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Men				TOTAL	TOTAL		
		Age Group			TOTAL				
		16 - 29	30 - 39	40 - 49					
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	9	13	20	33	75	129		
-Acute Respiratory Infections	460-466	5	6	10	5	26	46		
-Other Dis Upper Respiratory Tract	470-478	3	3	4	11	21	35		
-Pneumonia & Influenza	480-487	0	0	3	5	8	12		
-Chronic Obstructive Dis	490-496	1	3	2	10	16	32		
-Other Respiratory Dis	510-519	0	1	1	2	4	4		
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	3	10	11	25	49	75		
-Oral Cavity, Saliva Glands, Jaw	520-529	2	0	3	0	5	10		
-Esophagus, Stomach, Duodenum	530-537	0	0	0	2	2	7		
-Appendicitis	540-543	0	0	0	2	2	2		
-Hernia	550-553	0	4	3	5	12	16		
-Enteritis, Colitis	555-558	1	1	3	3	8	11		
-Other Intestinal Dis	560-569	0	0	0	1	1	3		
-Other Digestive Dis	570-579	0	5	2	12	19	26		
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	0	1	1	10	12	31		
-Nephritis, Nephrosis	580-589	0	0	0	2	2	2		
-Other Urinary Dis	590-599	0	1	1	5	7	11		
-Male Genital Organ Dis	600-608	0	0	0	3	3	3		
-Pelvic Inflammatory Dis	614-616	0	0	0	0	0	1		
-Other Female Disorders	617-629	0	0	0	0	0	14		
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	0	0	0	1		
-Pregnancy with Abortive Outcome	634-639	0	0	0	0	0	1		
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	1	5	7	14	18		
-Infections	680-686	1	1	3	5	10	13		
-Other	700-709	0	0	2	2	4	5		
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	4	17	13	61	95	153		
-Arthropathies	710-719	1	1	6	25	33	58		
-Dorsopathies	720-724	2	14	4	20	40	57		
-Rheumatism, Excluding Back	725-729	1	0	3	12	16	28		
-Other Dis & Acquired Deformities	730-739	0	2	0	4	6	10		
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	0	0	0	0	0	1		
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	15	30	24	70	139	196		
-Symptoms	780-789	15	29	23	65	132	187		
-Non-Specific Abnormal Findings	790-796	0	1	1	5	7	9		
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	14	18	23	34	89	146		

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Women				TOTAL
		Age Group			16 - 29	TOTAL
		16 - 29	30 - 39	40 - 49		
-Fracture - Skull	800-804	0	0	0	0	0
-Fracture - Neck, Trunk	805-809	0	0	0	1	1
-Fracture - Upper Limb	810-819	1	1	1	4	7
-Fracture - Lower Limb	820-829	0	0	1	4	5
-Dislocation	830-839	0	1	1	8	10
-Sprains & Strains - Back	846-847	3	0	0	5	8
-Sprains & Strains - Other	840-845, 848	0	2	1	2	5
-Intracranial Injury	850-854	0	0	1	2	3
-Open Wound - Lower Limb	890-897	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0
-Contusion	920-924	1	0	0	4	5
-Injury to Nerves & Spinal Cord	950-957	0	0	0	1	1
-Complications & Unspecified Injuries	958-959	0	0	0	1	1
-Unspecified Effects - External Causes	990-995	0	1	0	3	4
-Complications of Surgical/Medical Care	996-999	0	0	2	5	7
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	0	0	0	2	2
-Personal & Family History	V10-V19	0	0	0	0	0
-Health Services Reproduction/Development	V20-V29	0	0	0	0	0
-Specific Procedures/Aftercare	V50-V59	0	0	0	2	2
-Examination & Investigation	V70-V82	0	0	0	0	0

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Men				TOTAL	TOTAL		
		Age Group							
		16 - 29	30 - 39	40 - 49	50 +				
-Fracture - Skull	800-804	0	0	0	3	3	3		
-Fracture - Neck, Trunk	805-809	1	0	2	2	5	6		
-Fracture - Upper Limb	810-819	4	1	2	2	9	16		
-Fracture - Lower Limb	820-829	0	1	1	3	5	10		
-Dislocation	830-839	0	0	3	4	7	17		
-Sprains & Strains - Back	846-847	2	7	1	7	17	25		
-Sprains & Strains - Other	840-845, 848	3	6	6	7	22	27		
-Intracranial Injury	850-854	0	2	0	2	4	7		
-Open Wound - Lower Limb	890-897	0	0	2	0	2	2		
-Superficial Injury	910-919	0	0	1	0	1	1		
-Contusion	920-924	3	0	1	2	6	11		
-Injury to Nerves & Spinal Cord	950-957	0	0	0	0	0	1		
-Complications & Unspecified Injuries	958-959	0	0	3	1	4	5		
-Unspecified Effects - External Causes	990-995	0	1	1	0	2	6		
-Complications of Surgical/Medical Care	996-999	1	0	0	1	2	9		
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82								
		1	2	1	5	9	11		
-Personal & Family History	V10-V19	0	0	0	3	3	3		
-Health Services Reproduction/Development	V20-V29	1	1	1	0	3	3		
-Specific Procedures/Aftercare	V50-V59	0	1	0	1	2	4		
-Examination & Investigation	V70-V82	0	0	0	1	1	1		

Diagnostic Category	Women				Men				TOTAL	TOTAL	
	Age Group				TOTAL	Age Group					
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category											
Total	33	37	75	220	365	55	109	122	366	652	
										1,017	

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	14	12	9	33	68
MALIGNANT NEOPLASMS	140-208, 230-234	0	53	0	221	274
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	48	13	202	263
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	67	241	308
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	0	0
MENTAL DISORDERS	290-319	1	0	166	132	299
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	76	57	95	228
CIRCULATORY SYSTEM	390-459	2	0	72	461	535
RESPIRATORY SYSTEM	460-519	26	14	69	212	321
DIGESTIVE SYSTEM	520-579	149	37	466	129	781
GENITOURINARY SYSTEM	580-629	4	112	0	194	310
PREGNANCY & CHILDBIRTH	630-677	0	0	11	0	11
SKIN & SUBCUTANEOUS TISSUE	680-709	0	13	57	0	70
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	5	77	119	881	1,082
CONGENITAL ANOMALIES	740-759	28	0	0	0	28
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	19	17	190	250	476
INJURY & POISONING	800-999	95	64	599	889	1,647

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM Code	Men				TOTAL	TOTAL		
		Age Group			TOTAL				
		16 - 29	30 - 39	40 - 49					
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	11	49	33	64	157	225		
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	0	150	150	424		
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	4	112	34	150	413		
ENDOCRINE/METABOLIC/IMMUNITY	240-279	110	13	58	414	595	903		
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	4	6	10	10		
MENTAL DISORDERS	290-319	0	62	47	360	469	768		
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	18	15	114	78	225	453		
CIRCULATORY SYSTEM	390-459	0	7	43	833	883	1,418		
RESPIRATORY SYSTEM	460-519	34	36	88	413	571	892		
DIGESTIVE SYSTEM	520-579	15	126	80	341	562	1,343		
GENITOURINARY SYSTEM	580-629	0	3	22	294	319	629		
PREGNANCY & CHILDBIRTH	630-677	0	0	0	0	0	11		
SKIN & SUBCUTANEOUS TISSUE	680-709	30	5	71	94	200	270		
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	42	170	204	1,237	1,653	2,735		
CONGENITAL ANOMALIES	740-759	0	0	0	0	0	28		
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	124	122	92	506	844	1,320		
INJURY & POISONING	800-999	147	337	279	608	1,371	3,018		

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Women		
		Job Category		
		Professional	Administrative Support	Technical Support
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	3	5	1
-Intestinal Infectious Dis	001-009	0	1	1
-Other Bacterial Dis	030-041	3	0	0
-Viral Dis with Exanthem	050-057	0	1	0
-Other Viral Dis & Chlamydiae	070-079	0	3	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	2	1	0
-Digestive & Peritoneal	150-159	1	0	0
-Genitourinary	179-189	0	1	0
-Other & Unspecified Sites	190, 193-199	1	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	4	1	3
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	5	2	2
-Thyroid Gland Disorders	240-246	1	0	1
-Other Endocrine Gland Dis	250-259	0	1	0
-Other Metabolic & Immunity Disorders	270-279	4	1	1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	6	2	2
-Non-Psychotic Disorders	300-302, 306-316	5	2	1
-Alcohol Dependence	303	0	0	1
-Drug Dependence	304-305	1	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	9	2	1
-Other Disorders of Central NS	340-349	1	0	0
-Disorders of Peripheral NS	350-359	2	0	0
-Disorders of Eye	360-379	4	1	1
-Dis of Ear & Mastoid	380-389	2	1	0
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	13	9	4
-Hypertensive Dis	401-405	3	4	2
-Ischemic Heart Dis	410-414	6	3	1
-Other Heart Dis	420-429	3	1	1
-Dis of Veins, Lymphatics, Other	451-459	1	1	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	22	17	4
-Acute Respiratory Infections	460-466	8	7	2
-Other Dis Upper Respiratory Tract	470-478	3	5	1
-Pneumonia & Influenza	480-487	3	0	0
-Chronic Obstructive Dis	490-496	8	5	1
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	10	9	2
-Oral Cavity, Saliva Glands, Jaw	520-529	2	0	0
-Esophagus, Stomach, Duodenum	530-537	1	3	1

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Women			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	0	0	2	11
-Intestinal Infectious Dis	001-009	0	0	0	2
-Other Bacterial Dis	030-041	0	0	0	3
-Viral Dis with Exanthem	050-057	0	0	0	1
-Other Viral Dis & Chlamydiae	070-079	0	0	2	5
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	0	3
-Digestive & Peritoneal	150-159	0	0	0	1
-Genitourinary	179-189	0	0	0	1
-Other & Unspecified Sites	190, 193-199	0	0	0	1
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	0	0	8
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	0	0	9
-Thyroid Gland Disorders	240-246	0	0	0	2
-Other Endocrine Gland Dis	250-259	0	0	0	1
-Other Metabolic & Immunity Disorders	270-279	0	0	0	6
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	0	2	12
-Non-Psychotic Disorders	300-302, 306-316	0	0	2	10
-Alcohol Dependence	303	0	0	0	1
-Drug Dependence	304-305	0	0	0	1
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	1	13
-Other Disorders of Central NS	340-349	0	0	0	1
-Disorders of Peripheral NS	350-359	0	0	1	3
-Disorders of Eye	360-379	0	0	0	6
-Dis of Ear & Mastoid	380-389	0	0	0	3
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	1	1	2	30
-Hypertensive Dis	401-405	1	0	2	12
-Ischemic Heart Dis	410-414	0	0	0	10
-Other Heart Dis	420-429	0	1	0	6
-Dis of Veins, Lymphatics, Other	451-459	0	0	0	2
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	4	2	5	54
-Acute Respiratory Infections	460-466	2	0	1	20
-Other Dis Upper Respiratory Tract	470-478	1	2	2	14
-Pneumonia & Influenza	480-487	0	0	1	4
-Chronic Obstructive Dis	490-496	1	0	1	16
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	3	2	26
-Oral Cavity, Saliva Glands, Jaw	520-529	0	3	0	5
-Esophagus, Stomach, Duodenum	530-537	0	0	0	5

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Women		
		Job Category		
		Professional	Administrative Support	Technical Support
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>			
-Hernia	<b>550-553</b>	1	3	0
-Enteritis, Colitis	<b>555-558</b>	2	0	0
-Other Intestinal Dis	<b>560-569</b>	1	0	0
-Other Digestive Dis	<b>570-579</b>	3	3	1
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	10	2	2
-Other Urinary Dis	<b>590-599</b>	1	0	1
-Pelvic Inflammatory Dis	<b>614-616</b>	1	0	0
-Other Female Disorders	<b>617-629</b>	8	2	1
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	1	0	0
-Pregnancy with Abortive Outcome	<b>634-639</b>	1	0	0
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	3	0
-Infections	<b>680-686</b>	0	3	0
-Other	<b>700-709</b>	1	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	28	16	5
-Arthropathies	<b>710-719</b>	8	8	4
-Dorsopathies	<b>720-724</b>	10	5	0
-Rheumatism, Excluding Back	<b>725-729</b>	8	2	1
-Other Dis & Acquired Deformities	<b>730-739</b>	2	1	0
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	1	0	0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	12	20	7
-Symptoms	<b>780-789</b>	12	19	6
-Non-Specific Abnormal Findings	<b>790-796</b>	0	1	1
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	19	17	15
-Fracture - Neck, Trunk	<b>805-809</b>	0	1	0
-Fracture - Upper Limb	<b>810-819</b>	4	1	0
-Fracture - Lower Limb	<b>820-829</b>	4	1	0
-Dislocation	<b>830-839</b>	4	3	1
-Sprains & Strains - Back	<b>846-847</b>	0	4	4
-Sprains & Strains - Other	<b>840-845, 848</b>	2	1	2
-Intracranial Injury	<b>850-854</b>	1	0	2
-Contusion	<b>920-924</b>	0	2	3
-Injury to Nerves & Spinal Cord	<b>950-957</b>	1	0	0
-Complications & Unspecified Injuries	<b>958-959</b>	0	0	1
-Unspecified Effects - External Causes	<b>990-995</b>	0	2	1
-Complications of Surgical/Medical Care	<b>996-999</b>	3	2	1

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Women			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>				
-Hernia	<b>550-553</b>	0	0	0	4
-Enteritis, Colitis	<b>555-558</b>	0	0	1	3
-Other Intestinal Dis	<b>560-569</b>	0	0	1	2
-Other Digestive Dis	<b>570-579</b>	0	0	0	7
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	3	2	0	19
-Other Urinary Dis	<b>590-599</b>	0	2	0	4
-Pelvic Inflammatory Dis	<b>614-616</b>	0	0	0	1
-Other Female Disorders	<b>617-629</b>	3	0	0	14
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	0	1
-Pregnancy with Abortive Outcome	<b>634-639</b>	0	0	0	1
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	0	0	4
-Infections	<b>680-686</b>	0	0	0	3
-Other	<b>700-709</b>	0	0	0	1
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	2	0	7	58
-Arthropathies	<b>710-719</b>	0	0	5	25
-Dorsopathies	<b>720-724</b>	2	0	0	17
-Rheumatism, Excluding Back	<b>725-729</b>	0	0	1	12
-Other Dis & Acquired Deformities	<b>730-739</b>	0	0	1	4
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	0	0	0	1
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	2	3	13	57
-Symptoms	<b>780-789</b>	2	3	13	55
-Non-Specific Abnormal Findings	<b>790-796</b>	0	0	0	2
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	2	1	3	57
-Fracture - Neck, Trunk	<b>805-809</b>	0	0	0	1
-Fracture - Upper Limb	<b>810-819</b>	0	1	1	7
-Fracture - Lower Limb	<b>820-829</b>	0	0	0	5
-Dislocation	<b>830-839</b>	0	0	2	10
-Sprains & Strains - Back	<b>846-847</b>	0	0	0	8
-Sprains & Strains - Other	<b>840-845, 848</b>	0	0	0	5
-Intracranial Injury	<b>850-854</b>	0	0	0	3
-Contusion	<b>920-924</b>	0	0	0	5
-Injury to Nerves & Spinal Cord	<b>950-957</b>	0	0	0	1
-Complications & Unspecified Injuries	<b>958-959</b>	0	0	0	1
-Unspecified Effects - External Causes	<b>990-995</b>	1	0	0	4
-Complications of Surgical/Medical Care	<b>996-999</b>	1	0	0	7

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Nevada Test Site 2008****Absence Data****Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\***

		Women		
		Job Category		
		Professional	Administrative Support	Technical Support
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>			
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	0	0	1
-Specific Procedures/Aftercare	V50-V59	0	0	1

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code				
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	0	0	1	2
-Specific Procedures/Aftercare	V50-V59	0	0	1	2

	Women						TOTAL	
	Job Category							
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts		
Diagnostic Category								
Total	146	106	49	14	12	38	365	

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men		
		Job Category		
		Professional	Administrative Support	Technical Support
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	4	0	0
-Intestinal Infectious Dis	001-009	0	0	0
-Other Bacterial Dis	030-041	0	0	0
-HIV	042	1	0	0
-Viral Dis with Exanthem	050-057	1	0	0
-Other Viral Dis & Chlamydiae	070-079	1	0	0
-Late Effects	137-139	1	0	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	5	0	0
-Lip, Oral Cavity, Pharynx	140-149	1	0	0
-Digestive & Peritoneal	150-159	1	0	0
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0
-Genitourinary	179-189	1	0	0
-Other & Unspecified Sites	190, 193-199	1	0	0
-Lymphatic & Hematopoietic	200-208	1	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	2	0	0
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	20	1	6
-Thyroid Gland Disorders	240-246	2	0	0
-Other Endocrine Gland Dis	250-259	6	1	3
-Other Metabolic & Immunity Disorders	270-279	12	0	3
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	1	0	1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	5	6	0
-Psychoses	290-299	0	0	0
-Non-Psychotic Disorders	300-302, 306-316	5	6	0
-Drug Dependence	304-305	0	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	6	2	2
-Other Disorders of Central NS	340-349	1	0	0
-Disorders of Peripheral NS	350-359	4	1	1
-Disorders of Eye	360-379	1	0	1
-Dis of Ear & Mastoid	380-389	0	1	0
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	36	0	5
-Hypertensive Dis	401-405	13	0	2
-Ischemic Heart Dis	410-414	9	0	3
-Other Heart Dis	420-429	12	0	0
-Cerebrovascular Dis	430-438	1	0	0
-Dis of Arteries & Capillaries	440-448	1	0	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	28	1	4

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	0	12	11	27
-Intestinal Infectious Dis	001-009	0	4	0	4
-Other Bacterial Dis	030-041	0	1	1	2
-HIV	042	0	0	0	1
-Viral Dis with Exanthem	050-057	0	0	0	1
-Other Viral Dis & Chlamydiae	070-079	0	7	10	18
-Late Effects	137-139	0	0	0	1
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	3	8
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	1
-Digestive & Peritoneal	150-159	0	0	0	1
-Bone, Connective Tissue, Skin	170-173, 176	0	0	1	1
-Genitourinary	179-189	0	0	1	2
-Other & Unspecified Sites	190, 193-199	0	0	0	1
-Lymphatic & Hematopoietic	200-208	0	0	1	2
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	1	1	1	5
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	2	2	7	38
-Thyroid Gland Disorders	240-246	0	0	0	2
-Other Endocrine Gland Dis	250-259	0	2	4	16
-Other Metabolic & Immunity Disorders	270-279	2	0	3	20
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	0	2
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	2	5	18
-Psychoses	290-299	0	1	0	1
-Non-Psychotic Disorders	300-302, 306-316	0	1	0	12
-Drug Dependence	304-305	0	0	5	5
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	3	4	17
-Other Disorders of Central NS	340-349	0	0	0	1
-Disorders of Peripheral NS	350-359	0	0	1	7
-Disorders of Eye	360-379	0	3	0	5
-Dis of Ear & Mastoid	380-389	0	0	3	4
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	4	2	8	55
-Hypertensive Dis	401-405	2	0	6	23
-Ischemic Heart Dis	410-414	0	2	1	15
-Other Heart Dis	420-429	0	0	1	13
-Cerebrovascular Dis	430-438	2	0	0	3
-Dis of Arteries & Capillaries	440-448	0	0	0	1
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	1	24	17	75

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men		
		Job Category		
		Professional	Administrative Support	Technical Support
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>			
-Acute Respiratory Infections	<b>460-466</b>	8	0	2
-Other Dis Upper Respiratory Tract	<b>470-478</b>	9	0	0
-Pneumonia & Influenza	<b>480-487</b>	1	1	2
-Chronic Obstructive Dis	<b>490-496</b>	6	0	0
-Other Respiratory Dis	<b>510-519</b>	4	0	0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	16	0	6
-Oral Cavity, Saliva Glands, Jaw	<b>520-529</b>	2	0	0
-Esophagus, Stomach, Duodenum	<b>530-537</b>	0	0	1
-Appendicitis	<b>540-543</b>	2	0	0
-Hernia	<b>550-553</b>	3	0	2
-Enteritis, Colitis	<b>555-558</b>	0	0	0
-Other Intestinal Dis	<b>560-569</b>	0	0	0
-Other Digestive Dis	<b>570-579</b>	9	0	3
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	4	0	1
-Nephritis, Nephrosis	<b>580-589</b>	1	0	0
-Other Urinary Dis	<b>590-599</b>	2	0	1
-Male Genital Organ Dis	<b>600-608</b>	1	0	0
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	0	3
-Infections	<b>680-686</b>	1	0	0
-Other	<b>700-709</b>	0	0	3
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	26	1	16
-Arthropathies	<b>710-719</b>	11	0	6
-Dorsopathies	<b>720-724</b>	12	0	9
-Rheumatism, Excluding Back	<b>725-729</b>	2	0	1
-Other Dis & Acquired Deformities	<b>730-739</b>	1	1	0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	36	9	8
-Symptoms	<b>780-789</b>	33	8	8
-Non-Specific Abnormal Findings	<b>790-796</b>	3	1	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	26	1	8
-Fracture - Skull	<b>800-804</b>	3	0	0
-Fracture - Neck, Trunk	<b>805-809</b>	3	0	0
-Fracture - Upper Limb	<b>810-819</b>	1	1	1
-Fracture - Lower Limb	<b>820-829</b>	1	0	1
-Dislocation	<b>830-839</b>	2	0	1
-Sprains & Strains - Back	<b>846-847</b>	1	0	3

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>				
-Acute Respiratory Infections	<b>460-466</b>	0	12	4	26
-Other Dis Upper Respiratory Tract	<b>470-478</b>	1	5	6	21
-Pneumonia & Influenza	<b>480-487</b>	0	1	3	8
-Chronic Obstructive Dis	<b>490-496</b>	0	6	4	16
-Other Respiratory Dis	<b>510-519</b>	0	0	0	4
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	11	16	49
-Oral Cavity, Saliva Glands, Jaw	<b>520-529</b>	0	3	0	5
-Esophagus, Stomach, Duodenum	<b>530-537</b>	0	0	1	2
-Appendicitis	<b>540-543</b>	0	0	0	2
-Hernia	<b>550-553</b>	0	1	6	12
-Enteritis, Colitis	<b>555-558</b>	0	5	3	8
-Other Intestinal Dis	<b>560-569</b>	0	0	1	1
-Other Digestive Dis	<b>570-579</b>	0	2	5	19
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	0	3	4	12
-Nephritis, Nephrosis	<b>580-589</b>	0	0	1	2
-Other Urinary Dis	<b>590-599</b>	0	2	2	7
-Male Genital Organ Dis	<b>600-608</b>	0	1	1	3
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	2	2	6	14
-Infections	<b>680-686</b>	2	2	5	10
-Other	<b>700-709</b>	0	0	1	4
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	4	14	34	95
-Arthropathies	<b>710-719</b>	1	5	10	33
-Dorsopathies	<b>720-724</b>	0	7	12	40
-Rheumatism, Excluding Back	<b>725-729</b>	3	2	8	16
-Other Dis & Acquired Deformities	<b>730-739</b>	0	0	4	6
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	2	30	54	139
-Symptoms	<b>780-789</b>	2	30	51	132
-Non-Specific Abnormal Findings	<b>790-796</b>	0	0	3	7
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	2	25	27	89
-Fracture - Skull	<b>800-804</b>	0	0	0	3
-Fracture - Neck, Trunk	<b>805-809</b>	0	1	1	5
-Fracture - Upper Limb	<b>810-819</b>	0	3	3	9
-Fracture - Lower Limb	<b>820-829</b>	1	1	1	5
-Dislocation	<b>830-839</b>	0	2	2	7
-Sprains & Strains - Back	<b>846-847</b>	0	3	10	17

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men		
		Job Category		
		Professional	Administrative Support	Technical Support
-Sprains & Strains - Other	840-845, 848	8	0	2
-Intracranial Injury	850-854	2	0	0
-Open Wound - Lower Limb	890-897	0	0	0
-Superficial Injury	910-919	0	0	0
-Contusion	920-924	1	0	0
-Complications & Unspecified Injuries	958-959	3	0	0
-Unspecified Effects - External Causes	990-995	0	0	0
-Complications of Surgical/Medical Care	996-999	1	0	0
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	3	0	0
-Personal & Family History	V10-V19	2	0	0
-Health Services Reproduction/Development	V20-V29	0	0	0
-Specific Procedures/Aftercare	V50-V59	0	0	0
-Examination & Investigation	V70-V82	1	0	0

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>				
-Sprains & Strains - Other	840-845, 848	1	9	2	22
-Intracranial Injury	850-854	0	0	2	4
-Open Wound - Lower Limb	890-897	0	1	1	2
-Superficial Injury	910-919	0	0	1	1
-Contusion	920-924	0	2	3	6
-Complications & Unspecified Injuries	958-959	0	0	1	4
-Unspecified Effects - External Causes	990-995	0	2	0	2
-Complications of Surgical/Medical Care	996-999	0	1	0	2
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>				
-Personal & Family History	V10-V19	0	0	1	3
-Health Services Reproduction/Development	V20-V29	0	3	0	3
-Specific Procedures/Aftercare	V50-V59	0	1	1	2
-Examination & Investigation	V70-V82	0	0	0	1

Diagnostic Category	Men						TOTAL	
	Job Category							
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts		
<b>Diagnostic Category</b>								
<b>Total</b>	219	21	60	18	135	199	652	

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Women		
		Job Category		
		Professional	Administrative Support	Technical Support
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	11	41	3
MALIGNANT NEOPLASMS	140-208, 230-234	241	33	0
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	82	48	133
ENDOCRINE/METABOLIC/IMMUNITY	240-279	180	112	16
MENTAL DISORDERS	290-319	247	1	40
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	134	19	7
CIRCULATORY SYSTEM	390-459	330	171	15
RESPIRATORY SYSTEM	460-519	145	107	7
DIGESTIVE SYSTEM	520-579	140	584	37
GENITOURINARY SYSTEM	580-629	216	27	38
PREGNANCY & CHILDBIRTH	630-677	11	0	0
SKIN & SUBCUTANEOUS TISSUE	680-709	8	62	0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	490	207	105
CONGENITAL ANOMALIES	740-759	28	0	0
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	229	132	53
INJURY & POISONING	800-999	568	600	126

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Women			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	0	13	68
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	0	274
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	0	0	263
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	0	308
MENTAL DISORDERS	290-319	0	0	11	299
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	68	228
CIRCULATORY SYSTEM	390-459	6	2	11	535
RESPIRATORY SYSTEM	460-519	31	7	24	321
DIGESTIVE SYSTEM	520-579	0	6	14	781
GENITOURINARY SYSTEM	580-629	25	4	0	310
PREGNANCY & CHILDBIRTH	630-677	0	0	0	11
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	0	70
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	125	0	155	1,082
CONGENITAL ANOMALIES	740-759	0	0	0	28
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	13	9	40	476
INJURY & POISONING	800-999	132	90	131	1,647

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men		
		Job Category		
		Professional	Administrative Support	Technical Support
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	27	0	0
MALIGNANT NEOPLASMS	140-208, 230-234	94	0	0
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	112	0	0
ENDOCRINE/METABOLIC/IMMUNITY	240-279	238	4	101
BLOOD & BLOOD-FORMING ORGANS	280-289	4	0	6
MENTAL DISORDERS	290-319	291	48	0
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	47	10	111
CIRCULATORY SYSTEM	390-459	657	0	101
RESPIRATORY SYSTEM	460-519	198	28	49
DIGESTIVE SYSTEM	520-579	145	0	92
GENITOURINARY SYSTEM	580-629	51	0	187
SKIN & SUBCUTANEOUS TISSUE	680-709	14	0	16
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	482	5	323
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	305	39	56
INJURY & POISONING	800-999	481	7	114

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men			
		Job Category			TOTAL
		Service	Security and Fire	Crafts	
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	48	82	157
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	56	150
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	4	4	30	150
ENDOCRINE/METABOLIC/IMMUNITY	240-279	51	125	76	595
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	10
MENTAL DISORDERS	290-319	0	62	68	469
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	21	36	225
CIRCULATORY SYSTEM	390-459	52	15	58	883
RESPIRATORY SYSTEM	460-519	5	129	162	571
DIGESTIVE SYSTEM	520-579	0	76	249	562
GENITOURINARY SYSTEM	580-629	0	32	49	319
SKIN & SUBCUTANEOUS TISSUE	680-709	44	35	91	200
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	85	241	517	1,653
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	8	179	257	844
INJURY & POISONING	800-999	62	454	253	1,371

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 1. Men

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	27	11.1	7.2	17.0
-Intestinal Infectious Dis	001-009	4	2.6	0.9	7.0
-Other Bacterial Dis	030-041	2	0.7	0.2	3.3
-HIV	042	1	0.2	0.0	1.1
-Viral Dis with Exanthem	050-057	1	0.2	0.0	1.1
-Other Viral Dis & Chlamydiae	070-079	18	7.3	4.4	12.3
-Late Effects	137-139	1	0.2	0.0	1.1
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	8	1.4	0.7	2.8
-Lip, Oral Cavity, Pharynx	140-149	1	0.2	0.0	1.1
-Digestive & Peritoneal	150-159	1	0.2	0.0	1.4
-Bone, Connective Tissue, Skin	170-173, 176	1	0.2	0.0	1.4
-Genitourinary	179-189	2	0.4	0.1	1.5
-Other & Unspecified Sites	190, 193-199	1	0.2	0.0	1.1
-Lymphatic & Hematopoietic	200-208	2	0.3	0.1	1.3
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	5	1.5	0.6	3.9
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	38	8.7	6.1	12.5
-Thyroid Gland Disorders	240-246	2	0.4	0.1	1.5
-Other Endocrine Gland Dis	250-259	16	4.1	2.3	7.3
-Other Metabolic & Immunity Disorders	270-279	20	4.3	2.7	6.9
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	2	0.5	0.1	2.1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	18	4.5	2.7	7.5
-Psychoses	290-299	1	0.5	0.1	3.7
-Non-Psychotic Disorders	300-302, 306-316	12	2.7	1.4	5.0
-Drug Dependence	304-305	5	1.3	0.5	3.2
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	17	5.3	3.0	9.5
-Other Disorders of Central NS	340-349	1	0.3	0.0	2.3
-Disorders of Peripheral NS	350-359	7	1.3	0.6	2.8
-Disorders of Eye	360-379	5	2.4	0.9	6.5
-Dis of Ear & Mastoid	380-389	4	1.4	0.4	4.1
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	55	10.7	8.1	14.1
-Hypertensive Dis	401-405	23	4.7	3.1	7.3
-Ischemic Heart Dis	410-414	15	3.0	1.8	5.0
-Other Heart Dis	420-429	13	2.2	1.3	3.8
-Cerebrovascular Dis	430-438	3	0.6	0.2	1.9
-Dis of Arteries & Capillaries	440-448	1	0.2	0.0	1.4

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 1. Men

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	75	25.6	19.7	33.3
-Acute Respiratory Infections	460-466	26	10.9	7.1	16.8
-Other Dis Upper Respiratory Tract	470-478	21	6.9	4.2	11.6
-Pneumonia & Influenza	480-487	8	1.8	0.9	3.8
-Chronic Obstructive Dis	490-496	16	4.7	2.6	8.3
-Other Respiratory Dis	510-519	4	1.2	0.4	3.5
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	49	15.2	11.0	21.1
-Oral Cavity, Saliva Glands, Jaw	520-529	5	2.5	1.0	6.5
-Esophagus, Stomach, Duodenum	530-537	2	0.4	0.1	1.5
-Appendicitis	540-543	2	0.3	0.1	1.3
-Hernia	550-553	12	3.9	2.1	7.2
-Enteritis, Colitis	555-558	8	2.8	1.3	6.2
-Other Intestinal Dis	560-569	1	0.2	0.0	1.4
-Other Digestive Dis	570-579	19	5.2	3.1	8.7
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	12	2.6	1.4	4.9
-Nephritis, Nephrosis	580-589	2	0.4	0.1	1.5
-Other Urinary Dis	590-599	7	1.8	0.8	4.0
-Male Genital Organ Dis	600-608	3	0.5	0.2	1.5
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	14	4.1	2.2	7.5
-Infections	680-686	10	3.1	1.5	6.4
-Other	700-709	4	1.0	0.3	2.7
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	95	26.4	20.9	33.4
-Arthropathies	710-719	33	7.5	5.1	11.1
-Dorsopathies	720-724	40	13.5	9.5	19.3
-Rheumatism, Excluding Back	725-729	16	3.7	2.0	6.6
-Other Dis & Acquired Deformities	730-739	6	1.7	0.7	4.3
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	139	46.8	38.5	56.8
-Symptoms	780-789	132	45.1	37.0	55.0
-Non-Specific Abnormal Findings	790-796	7	1.7	0.7	3.9
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	89	33.1	26.0	42.0
-Fracture - Skull	800-804	8	2.3	1.0	5.2
-Fracture - Upper Limb	810-819	9	4.6	2.2	9.5
-Fracture - Lower Limb	820-829	5	1.3	0.5	3.6
-Dislocation	830-839	7	1.6	0.7	3.5

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Sprains & Strains - Back	846-847	17	6.6	3.8	11.4
-Sprains & Strains - Other	840-845, 848	22	8.5	5.3	13.6
-Intracranial Injury	850-854	4	1.4	0.4	4.1
-Open Wound - Head, Neck, Trunk	870-879	2	0.6	0.2	2.6
-Superficial Injury	910-919	1	0.3	0.0	2.3
-Contusion	920-924	6	3.0	1.2	7.4
-Complications & Unspecified Injuries	958-959	4	1.1	0.4	3.1
-Unspecified Effects - External Causes	990-995	2	0.8	0.2	3.5
-Complications of Surgical/Medical Care	996-999	2	0.9	0.2	4.9
<b>Total</b>		643	197.5	180.4	216.3

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 2. Women

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	11	10.4	5.1	21.0
-Intestinal Infectious Dis	001-009	2	3.4	0.8	13.9
-Other Bacterial Dis	030-041	3	1.8	0.6	5.8
-Viral Dis with Exanthem	050-057	1	0.4	0.1	3.0
-Other Viral Dis & Chlamydiae	070-079	5	4.7	1.6	13.6
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	3	3.5	1.1	11.4
-Digestive & Peritoneal	150-159	1	0.7	0.1	5.1
-Genitourinary	179-189	1	1.4	0.2	10.0
-Other & Unspecified Sites	190, 193-199	1	1.4	0.2	10.0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	8	5.2	2.4	11.3
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	9	5.2	2.7	10.3
-Thyroid Gland Disorders	240-246	2	1.4	0.4	5.7
-Other Endocrine Gland Dis	250-259	1	0.7	0.1	5.0
-Other Metabolic & Immunity Disorders	270-279	6	3.1	1.4	7.1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	12	9.4	4.7	18.8
-Non-Psychotic Disorders	300-302, 306-316	10	8.3	3.8	17.8
-Alcohol Dependence	303	1	0.4	0.1	3.0
-Drug Dependence	304-305	1	0.7	0.1	5.0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	13	10.0	5.6	17.8
-Other Disorders of Central NS	340-349	1	0.7	0.1	5.0
-Disorders of Peripheral NS	350-359	3	2.8	0.8	9.3
-Disorders of Eye	360-379	6	3.9	1.8	8.9
-Dis of Ear & Mastoid	380-389	3	2.5	0.7	8.9
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	30	18.7	12.6	27.7
-Hypertensive Dis	401-405	12	6.8	3.8	12.2
-Ischemic Heart Dis	410-414	10	5.7	3.0	10.8
-Other Heart Dis	420-429	6	5.0	1.9	13.0
-Dis of Veins, Lymphatics, Other	451-459	2	1.1	0.3	4.7
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	54	45.3	33.0	62.2
-Acute Respiratory Infections	460-466	20	17.5	10.4	29.3
-Other Dis Upper Respiratory Tract	470-478	14	12.1	6.4	23.0
-Pneumonia & Influenza	480-487	4	2.0	0.7	5.4
-Chronic Obstructive Dis	490-496	16	13.7	7.8	24.1
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	26	25.3	16.1	39.9
-Oral Cavity, Saliva Glands, Jaw	520-529	5	7.4	2.9	19.3

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 2. Women

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
-Esophagus, Stomach, Duodenum	<b>530-537</b>	5	3.9	1.5	10.2
-Hernia	<b>550-553</b>	4	3.6	1.1	12.0
-Enteritis, Colitis	<b>555-558</b>	3	1.8	0.6	5.9
-Other Intestinal Dis	<b>560-569</b>	2	1.1	0.3	4.7
-Other Digestive Dis	<b>570-579</b>	7	7.4	3.1	17.9
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	19	19.3	11.6	32.0
-Other Urinary Dis	<b>590-599</b>	4	5.4	1.8	16.1
-Pelvic Inflammatory Dis	<b>614-616</b>	1	0.4	0.1	3.0
-Other Female Disorders	<b>617-629</b>	14	13.4	7.5	23.9
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	1	0.7	0.1	5.0
-Pregnancy with Abortive Outcome	<b>634-639</b>	1	0.7	0.1	5.0
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	4	4.2	1.5	11.8
-Infections	<b>680-686</b>	3	3.5	1.1	11.4
-Other	<b>700-709</b>	1	0.7	0.1	5.0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	58	38.7	29.2	51.4
-Arthropathies	<b>710-719</b>	25	19.8	12.8	30.8
-Dorsopathies	<b>720-724</b>	17	8.7	5.3	14.2
-Rheumatism, Excluding Back	<b>725-729</b>	12	7.6	4.3	13.6
-Other Dis & Acquired Deformities	<b>730-739</b>	4	2.6	0.9	6.9
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	1	2.0	0.3	14.2
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	57	43.3	31.8	59.0
-Symptoms	<b>780-789</b>	55	42.1	30.7	57.8
-Non-Specific Abnormal Findings	<b>790-796</b>	2	1.1	0.3	4.8
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	57	42.8	31.5	58.2
-Fracture - Skull	<b>800-804</b>	1	0.4	0.1	3.0
-Fracture - Upper Limb	<b>810-819</b>	7	6.7	2.9	15.5
-Fracture - Lower Limb	<b>820-829</b>	5	2.7	1.1	6.7
-Dislocation	<b>830-839</b>	10	6.4	3.2	12.6
-Sprains & Strains - Back	<b>846-847</b>	8	8.4	3.6	19.7
-Sprains & Strains - Other	<b>840-845, 848</b>	5	4.6	1.8	12.1
-Intracranial Injury	<b>850-854</b>	3	1.6	0.5	5.0
-Contusion	<b>920-924</b>	5	4.0	1.3	12.1
-Injury to Nerves & Spinal Cord	<b>950-957</b>	1	0.4	0.1	3.0
-Complications & Unspecified Injuries	<b>958-959</b>	1	0.4	0.1	3.0

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Unspecified Effects - External Causes	990-995	4	3.0	1.0	9.0
-Complications of Surgical/Medical Care	996-999	7	4.1	1.9	8.8
Total		363	284.0	251.7	320.4

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 3. Men and Women

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	38	10.9	7.6	15.7
-Intestinal Infectious Dis	001-009	6	2.8	1.2	6.3
-Other Bacterial Dis	030-041	5	1.1	0.4	2.8
-HIV	042	1	0.1	0.0	0.8
-Viral Dis with Exanthem	050-057	2	0.2	0.1	0.9
-Other Viral Dis & Chlamydiae	070-079	23	6.5	4.1	10.4
-Late Effects	137-139	1	0.1	0.0	0.8
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	11	2.0	1.0	3.9
-Lip, Oral Cavity, Pharynx	140-149	1	0.1	0.0	0.8
-Digestive & Peritoneal	150-159	2	0.3	0.1	1.3
-Bone, Connective Tissue, Skin	170-173, 176	1	0.2	0.0	1.1
-Genitourinary	179-189	3	0.7	0.2	2.3
-Other & Unspecified Sites	190, 193-199	2	0.5	0.1	2.4
-Lymphatic & Hematopoietic	200-208	2	0.2	0.1	0.9
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	13	2.5	1.4	4.6
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	47	7.9	5.8	10.9
-Thyroid Gland Disorders	240-246	4	0.7	0.2	1.8
-Other Endocrine Gland Dis	250-259	17	3.2	1.9	5.6
-Other Metabolic & Immunity Disorders	270-279	26	4.0	2.7	6.1
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	2	0.3	0.1	1.4
<b>MENTAL DISORDERS</b>	<b>290-319</b>	30	5.9	3.9	8.9
-Psychoses	290-299	1	0.4	0.1	2.7
-Non-Psychotic Disorders	300-302, 306-316	22	4.3	2.6	7.0
-Alcohol Dependence	303	1	0.1	0.0	0.8
-Drug Dependence	304-305	6	1.1	0.5	2.5
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	30	6.8	4.5	10.2
-Other Disorders of Central NS	340-349	2	0.4	0.1	1.8
-Disorders of Peripheral NS	350-359	10	1.7	0.9	3.5
-Disorders of Eye	360-379	11	2.9	1.4	5.7
-Dis of Ear & Mastoid	380-389	7	1.7	0.7	3.9
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	85	13.0	10.3	16.3
-Hypertensive Dis	401-405	35	5.4	3.8	7.6
-Ischemic Heart Dis	410-414	25	3.7	2.5	5.5
-Other Heart Dis	420-429	19	2.9	1.7	5.0
-Cerebrovascular Dis	430-438	3	0.5	0.2	1.5

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 3. Men and Women

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
-Dis of Arteries & Capillaries	440-448	1	0.2	0.0	1.1
-Dis of Veins, Lymphatics, Other	451-459	2	0.3	0.1	1.4
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	129	30.9	25.3	37.9
-Acute Respiratory Infections	460-466	46	12.6	9.0	17.5
-Other Dis Upper Respiratory Tract	470-478	35	8.3	5.6	12.4
-Pneumonia & Influenza	480-487	12	1.9	1.1	3.4
-Chronic Obstructive Dis	490-496	32	7.3	4.9	10.8
-Other Respiratory Dis	510-519	4	0.8	0.3	2.5
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	75	18.0	13.9	23.5
-Oral Cavity, Saliva Glands, Jaw	520-529	10	3.8	2.0	7.5
-Esophagus, Stomach, Duodenum	530-537	7	1.4	0.6	3.1
-Appendicitis	540-543	2	0.2	0.1	0.9
-Hernia	550-553	16	3.8	2.2	6.6
-Enteritis, Colitis	555-558	11	2.5	1.3	4.9
-Other Intestinal Dis	560-569	3	0.5	0.2	1.6
-Other Digestive Dis	570-579	26	5.8	3.7	9.1
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	31	7.0	4.7	10.6
-Nephritis, Nephrosis	580-589	2	0.3	0.1	1.1
-Other Urinary Dis	590-599	11	2.7	1.4	5.5
-Male Genital Organ Dis	600-608	3	0.4	0.1	1.1
-Pelvic Inflammatory Dis	614-616	1	0.1	0.0	0.8
-Other Female Disorders	617-629	14	3.5	2.0	6.3
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	1	0.2	0.0	1.6
-Pregnancy with Abortive Outcome	634-639	1	0.2	0.0	1.6
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	18	4.1	2.5	6.9
-Infections	680-686	13	3.2	1.8	5.9
-Other	700-709	5	0.9	0.4	2.2
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	153	29.6	24.7	35.5
-Arthropathies	710-719	58	10.7	8.0	14.4
-Dorsopathies	720-724	57	12.2	9.0	16.4
-Rheumatism, Excluding Back	725-729	28	4.8	3.2	7.2
-Other Dis & Acquired Deformities	730-739	10	1.9	0.9	3.8
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	1	0.5	0.1	3.9
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	196	45.7	38.8	53.9

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

##### Part 3. Men and Women

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
-Symptoms	<b>780-789</b>	187	44.2	37.4	52.3
-Non-Specific Abnormal Findings	<b>790-796</b>	9	1.5	0.7	3.1
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	146	35.1	29.0	42.5
-Fracture - Skull	<b>800-804</b>	9	1.7	0.8	3.8
-Fracture - Upper Limb	<b>810-819</b>	16	5.1	2.9	8.9
-Fracture - Lower Limb	<b>820-829</b>	10	1.7	0.8	3.3
-Dislocation	<b>830-839</b>	17	2.8	1.7	4.7
-Sprains & Strains - Back	<b>846-847</b>	25	7.1	4.5	11.2
-Sprains & Strains - Other	<b>840-845, 848</b>	27	7.3	4.8	11.2
-Intracranial Injury	<b>850-854</b>	7	1.4	0.6	3.4
-Open Wound - Head, Neck, Trunk	<b>870-879</b>	2	0.4	0.1	1.8
-Superficial Injury	<b>910-919</b>	1	0.2	0.0	1.6
-Contusion	<b>920-924</b>	11	3.2	1.5	6.5
-Injury to Nerves & Spinal Cord	<b>950-957</b>	1	0.1	0.0	0.8
-Complications & Unspecified Injuries	<b>958-959</b>	5	0.9	0.4	2.2
-Unspecified Effects - External Causes	<b>990-995</b>	6	1.4	0.6	3.3
-Complications of Surgical/Medical Care	<b>996-999</b>	9	1.8	0.8	3.9
<b>Total</b>		1006	220.6	205.2	237.1

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

**Nevada Test Site 2008**  
**OSHA Data**

**Appendix L. Number of Workers with at Least One OSHA Event by Gender, Age, and Job Category\***

Job Category	Women				Men				TOTAL	
	Age Group			TOTAL	Age Group			TOTAL		
	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49			
Professional	0	0	2	2	0	2	2	1	5	
Administrative Support	0	1	1	2	0	0	0	0	0	
Technical Support	2	1	1	4	0	1	2	4	7	
Security and Fire	0	0	0	0	8	3	2	1	14	
Crafts	0	0	2	2	1	3	3	10	17	
<b>TOTAL</b>	<b>2</b>	<b>2</b>	<b>6</b>	<b>10</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>16</b>	<b>43</b>	
									<b>53</b>	

\*Only those job categories and gender/age combinations with at least one OSHA event appear in this table.

**Appendix M. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age**

Age Group	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
16 - 29	0	0	0	9	51	258	9	51	258
30 - 39	2	69	53	9	115	60	11	184	113
40 - 49	2	0	0	10	27	173	12	27	173
50 +	6	0	5	16	45	235	22	45	240
<b>TOTAL</b>	<b>10</b>	<b>69</b>	<b>58</b>	<b>44</b>	<b>238</b>	<b>726</b>	<b>54</b>	<b>307</b>	<b>784</b>

**Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Job Category\***

Job Category	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
Professional	2	0	0	5	64	6	7	64	6
Administrative Support	2	0	5	0	0	0	2	0	5
Technical Support	4	69	53	7	20	87	11	89	140
Security and Fire	0	0	0	14	154	546	14	154	546
Crafts	2	0	0	18	0	87	20	0	87
<b>TOTAL</b>	<b>10</b>	<b>69</b>	<b>58</b>	<b>44</b>	<b>238</b>	<b>726</b>	<b>54</b>	<b>307</b>	<b>784</b>

\*Only those job categories with at least one OSHA event appear in this table.

# Nevada Test Site 2008

OSHA Data

## Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM code	Women			
		Age Group			TOTAL
		30 - 39	40 - 49	50 +	
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	1	0	0	1
-Disorders of Peripheral NS	350-359	1	0	0	1
-Disorders of Eye	360-379	0	0	0	0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	0	0	0
-Hernia	550-553	0	0	0	0
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	0	0	0
-Infections	680-686	0	0	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	0	8	9
-Arthropathies	710-719	1	0	2	3
-Dorsopathies	720-724	0	0	3	3
-Rheumatism, Excluding Back	725-729	0	0	3	3
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	0	0	0
-Symptoms	780-789	0	0	0	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	1	3	9	13
-Fracture - Upper Limb	810-819	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0
-Dislocation	830-839	0	0	0	0
-Sprains & Strains - Back	846-847	0	2	2	4
-Sprains & Strains - Other	840-845, 848	0	0	1	1
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	3	3
-Open Wound - Upper Limb	880-887	0	0	0	0
-Superficial Injury	910-919	0	0	2	2
-Contusion	920-924	0	1	0	1
-Foreign Body Entering Orifice	930-939	1	0	0	1
-Burns	940-949	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	1	1

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

# Nevada Test Site 2008

OSHA Data

## Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	ICD-9-CM code	Men				TOTAL	TOTAL		
		Age Group							
		16 - 29	30 - 39	40 - 49	50 +				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	1	0	1	2		
-Disorders of Peripheral NS	350-359	0	0	0	0	0	1		
-Disorders of Eye	360-379	0	0	1	0	1	1		
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	0	0	2	2	2		
-Hernia	550-553	0	0	0	2	2	2		
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	0	0	1	1	1		
-Infections	680-686	0	0	0	1	1	1		
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	0	5	5	7	17	26		
-Arthropathies	710-719	0	2	2	4	8	11		
-Dorsopathies	720-724	0	3	3	3	9	12		
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	3		
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	0	0	2	2	2		
-Symptoms	780-789	0	0	0	2	2	2		
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	10	9	10	13	42	55		
-Fracture - Upper Limb	810-819	0	0	0	1	1	1		
-Fracture - Lower Limb	820-829	0	0	1	0	1	1		
-Dislocation	830-839	0	0	0	1	1	1		
-Sprains & Strains - Back	846-847	2	4	2	3	11	15		
-Sprains & Strains - Other	840-845, 848	4	4	0	4	12	13		
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	1	0	1	1		
-Open Wound - Head, Neck, Trunk	870-879	0	0	1	1	2	5		
-Open Wound - Upper Limb	880-887	1	0	1	1	3	3		
-Superficial Injury	910-919	0	0	0	0	0	2		
-Contusion	920-924	1	0	0	2	3	4		
-Foreign Body Entering Orifice	930-939	0	0	3	0	3	4		
-Burns	940-949	0	0	1	0	1	1		
-Complications & Unspecified Injuries	958-959	2	0	0	0	2	2		
-Toxic Effects - Non-medicinal	980-989	0	1	0	0	1	1		
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	1		

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

**Nevada Test Site 2008****OSHA Data****Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\***

	Women			Men				TOTAL	TOTAL		
	Age Group		TOTAL	Age Group			TOTAL				
	30 - 39	40 - 49		16 - 29	30 - 39	40 - 49					
<b>Diagnostic Category</b>											
<b>Total</b>	3	3	17	23	10	14	16	25	65		
									88		

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

# Nevada Test Site 2008

OSHA Data

## Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age\*

		Women					
		Age Group					
		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
<b>Diagnostic Category</b>	<b>ICD-9-CM Codes</b>						
-Disorders of Peripheral NS	350-359	69	53	0	0	0	0
-Arthropathies	710-719	69	53	0	0	0	0
-Dorsopathies	720-724	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	5
-Contusion	920-924	0	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	5

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost						
<b>Diagnostic Category</b>	<b>ICD-9-CM Codes</b>								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0	0	0	67
-Infections	680-686	0	0	0	0	0	0	0	0
-Arthropathies	710-719	0	0	64	6	0	6	5	71
-Dorsopathies	720-724	0	0	64	7	0	14	0	6
-Symptoms	780-789	0	0	0	0	0	0	0	67
-Fracture - Upper Limb	810-819	0	0	0	0	0	0	1	63
-Fracture - Lower Limb	820-829	0	0	0	0	27	153	0	0
-Dislocation	830-839	0	0	0	0	0	0	1	63
-Sprains & Strains - Back	846-847	0	0	79	19	0	8	0	3
-Sprains & Strains - Other	840-845, 848	31	144	100	40	0	0	0	8
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	0	0	27	153	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	3	39	0	0	0	0	0	2
-Contusion	920-924	0	19	0	0	0	0	40	87
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0

(Continued)

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

**Nevada Test Site 2008**

**OSHA Data**

**Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age\***

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost						
<b>Diagnostic Category</b>	<b>ICD-9-CM Codes</b>								
-Burns	<b>940-949</b>	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	<b>958-959</b>	17	56	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	<b>980-989</b>	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

**Nevada Test Site 2008**  
**OSHA Data**

**Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age\***

		Women				Men					
		Age Group			TOTAL	Age Group			TOTAL		
		30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +	TOTAL	
Type of Accident	E Codes										
Motor Vehicle Traffic	E810-E819	0	1	0	1	1	0	1	1	3	4
Falls	E880-E888	0	1	0	1	0	2	1	1	4	5
Natural/Environmental Factors	E900-E909	0	0	1	1	0	1	0	0	1	2
Submersion/Suffocation/Foreign Bodies	E910-E915	1	0	0	1	0	0	3	0	3	4
Other Accidents	E916-E928	1	0	5	6	8	6	5	14	33	39
Adverse Effect - Medicinal/Biological	E930-E949	0	0	1	1	0	0	0	0	0	1

\*Only those accident types and gender/age combinations with at least one occurrence appear in this table.

**Nevada Test Site 2008**  
**OSHA Data**

**Appendix R. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Age\***

		Women					
		Age Group					
		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	5
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0
Other Accidents	E916-E928	69	53	0	0	0	0
Adverse Effect - Medicinal/Biological	E930-E949	0	0	0	0	0	5

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost						
Type of Accident	E Codes								
Motor Vehicle Traffic	E810-E819	0	0	0	0	27	153	0	0
Falls	E880-E888	0	0	64	0	0	6	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	51	258	51	60	0	14	45	235

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

OSHA Data

### Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Women				
		Job Category				TOTAL
		Professional	Administrative Support	Technical Support	Crafts	
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>					
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	1	0	1
-Disorders of Peripheral NS	350-359	0	0	1	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	2	0	4	3	9
-Arthropathies	710-719	0	0	2	1	3
-Dorsopathies	720-724	2	0	0	1	3
-Rheumatism, Excluding Back	725-729	0	0	2	1	3
INJURY & POISONING	800-999	3	3	3	4	13
-Sprains & Strains - Back	846-847	1	0	2	1	4
-Sprains & Strains - Other	840-845, 848	0	0	0	1	1
-Open Wound - Head, Neck, Trunk	870-879	1	0	0	2	3
-Superficial Injury	910-919	1	1	0	0	2
-Contusion	920-924	0	1	0	0	1
-Foreign Body Entering Orifice	930-939	0	0	1	0	1
-Unspecified Effects - External Causes	990-995	0	1	0	0	1

Diagnostic Category	Women				
	Job Category				TOTAL
	Professional	Administrative Support	Technical Support	Crafts	
<b>Diagnostic Category</b>					
Total	5	3	8	7	23

Diagnostic Category	ICD-9-CM Code	Men				
		Job Category				TOTAL
		Professional	Technical Support	Security and Fire	Crafts	
<b>Diagnostic Category</b>	<b>ICD-9-CM Code</b>					
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	0	1	1
-Disorders of Eye	360-379	0	0	0	1	1
DIGESTIVE SYSTEM	520-579	0	0	0	2	2
-Hernia	550-553	0	0	0	2	2

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

OSHA Data

### Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category	ICD-9-CM Code	Men					TOTAL			
		Job Category				Professional	Technical Support	Security and Fire	Crafts	
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	0	1	1				
-Infections	680-686	0	0	0	1	1				
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	4	6	0	7	17				
-Arthropathies	710-719	2	5	0	1	8				
-Dorsopathies	720-724	2	1	0	6	9				
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	0	2	2				
-Symptoms	780-789	0	0	0	2	2				
INJURY & POISONING	800-999	6	5	15	16	42				
-Fracture - Upper Limb	810-819	0	1	0	0	1				
-Fracture - Lower Limb	820-829	0	0	1	0	1				
-Dislocation	830-839	0	1	0	0	1				
-Sprains & Strains - Back	846-847	2	1	2	6	11				
-Sprains & Strains - Other	840-845, 848	1	2	6	3	12				
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	1	0	1				
-Open Wound - Head, Neck, Trunk	870-879	2	0	0	0	2				
-Open Wound - Upper Limb	880-887	1	0	1	1	3				
-Contusion	920-924	0	0	2	1	3				
-Foreign Body Entering Orifice	930-939	0	0	0	3	3				
-Burns	940-949	0	0	0	1	1				
-Complications & Unspecified Injuries	958-959	0	0	2	0	2				
-Toxic Effects - Non-medicinal	980-989	0	0	0	1	1				

Diagnostic Category	Men					TOTAL			
	Job Category				Professional	Technical Support	Security and Fire	Crafts	
Total	10	11	15	29	65				

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

OSHA Data

### Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\*

		Women							
		Job Category							
		Professional		Administrative Support		Technical Support		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
<b>Diagnostic Category</b>	<b>ICD-9-CM Codes</b>								
-Disorders of Peripheral NS	<b>350-359</b>	0	0	0	0	69	53	0	0
-Arthropathies	<b>710-719</b>	0	0	0	0	69	53	0	0
-Dorsopathies	<b>720-724</b>	0	0	0	0	0	0	0	0
-Rheumatism, Excluding Back	<b>725-729</b>	0	0	0	0	0	0	0	0
-Sprains & Strains - Back	<b>846-847</b>	0	0	0	0	0	0	0	0
-Sprains & Strains - Other	<b>840-845, 848</b>	0	0	0	0	0	0	0	0
-Open Wound - Head, Neck, Trunk	<b>870-879</b>	0	0	0	0	0	0	0	0
-Superficial Injury	<b>910-919</b>	0	0	0	5	0	0	0	0
-Contusion	<b>920-924</b>	0	0	0	0	0	0	0	0
-Foreign Body Entering Orifice	<b>930-939</b>	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	<b>990-995</b>	0	0	0	5	0	0	0	0

		Men							
		Job Category							
		Professional		Technical Support		Security and Fire		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
<b>Diagnostic Category</b>	<b>ICD-9-CM Codes</b>								
-Disorders of Eye	<b>360-379</b>	0	0	0	0	0	0	0	0
-Hernia	<b>550-553</b>	0	0	0	0	0	0	0	67
-Infections	<b>680-686</b>	0	0	0	0	0	0	0	0
-Arthropathies	<b>710-719</b>	64	6	5	76	0	0	0	1
-Dorsopathies	<b>720-724</b>	64	6	0	6	0	0	0	15
-Symptoms	<b>780-789</b>	0	0	0	0	0	0	0	67
-Fracture - Upper Limb	<b>810-819</b>	0	0	1	63	0	0	0	0
-Fracture - Lower Limb	<b>820-829</b>	0	0	0	0	27	153	0	0
-Dislocation	<b>830-839</b>	0	0	1	63	0	0	0	0
-Sprains & Strains - Back	<b>846-847</b>	64	6	15	5	0	8	0	11
-Sprains & Strains - Other	<b>840-845, 848</b>	64	0	0	7	67	184	0	1
-Internal Injury - Thorax, Abdomen, Pelvis	<b>860-869</b>	0	0	0	0	27	153	0	0
-Open Wound - Head, Neck, Trunk	<b>870-879</b>	0	0	0	0	0	0	0	0
-Open Wound - Upper Limb	<b>880-887</b>	0	0	0	0	3	39	0	2
-Contusion	<b>920-924</b>	0	0	0	0	40	106	0	0

(Continued)

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Nevada Test Site 2008**

**OSHA Data**

**Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\***

		Men							
		Job Category							
		Professional		Technical Support		Security and Fire		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
<b>Diagnostic Category</b>	<b>ICD-9-CM Codes</b>								
-Foreign Body Entering Orifice	<b>930-939</b>	0	0	0	0	0	0	0	0
-Burns	<b>940-949</b>	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	<b>958-959</b>	0	0	0	0	17	56	0	0
-Toxic Effects - Non-medicinal	<b>980-989</b>	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

OSHA Data

### Appendix U. Number of Occurrences in Each Accident Category by Gender and Job Category\*

Type of Accident	E CODES	Women				
		Job Category				TOTAL
		Professional	Administrative Support	Technical Support	Crafts	
Motor Vehicle Traffic	E810-E819	0	0	1	0	1
Falls	E880-E888	0	1	0	0	1
Natural/Environmental Factors	E900-E909	0	1	0	0	1
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	1	0	1
Other Accidents	E916-E928	2	0	2	2	6
Adverse Effect - Medicinal/Biological	E930-E949	0	1	0	0	1

Type of Accident	E CODES	Men				
		Job Category				TOTAL
		Professional	Technical Support	Security and Fire	Crafts	
Motor Vehicle Traffic	E810-E819	0	1	1	1	3
Falls	E880-E888	1	1	0	2	4
Natural/Environmental Factors	E900-E909	0	0	0	1	1
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	3	3
Other Accidents	E916-E928	4	5	13	11	33

\*Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### OSHA Data

#### Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category\*

		Women							
		Job Category							
		Professional		Administrative Support		Technical Support		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	0	0	0
Natural/Environmental Factors	E900-E909	0	0	0	5	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	0	0	69	53	0	0
Adverse Effect - Medicinal/Biological	E930-E949	0	0	0	5	0	0	0	0

		Men							
		Job Category							
		Professional		Technical Support		Security and Fire		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Motor Vehicle Traffic	E810-E819	0	0	0	0	27	153	0	0
Falls	E880-E888	64	0	0	6	0	0	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	0	6	20	81	127	393	0	87

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

## Nevada Test Site 2008

### OSHA Data

#### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\*

##### Part 1. Men

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	1	0.3	0.0	2.3
-Disorders of Eye	360-379	1	0.3	0.0	2.3
DIGESTIVE SYSTEM	520-579	2	0.3	0.1	1.3
-Hernia	550-553	2	0.3	0.1	1.3
SKIN & SUBCUTANEOUS TISSUE	680-709	1	0.2	0.0	1.1
-Infections	680-686	1	0.2	0.0	1.1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	17	5.4	3.2	9.1
-Arthropathies	710-719	8	2.4	1.1	5.1
-Dorsopathies	720-724	9	3.0	1.5	6.1
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	2	0.3	0.1	1.3
-Symptoms	780-789	2	0.3	0.1	1.3
INJURY & POISONING	800-999	42	17.7	12.5	25.0
-Fracture - Upper Limb	810-819	1	0.2	0.0	1.1
-Fracture - Lower Limb	820-829	1	0.3	0.0	2.3
-Dislocation	830-839	1	0.2	0.0	1.1
-Sprains & Strains - Back	846-847	11	4.7	2.4	9.1
-Sprains & Strains - Other	840-845, 848	12	5.8	3.1	11.0
-Open Wound - Head, Neck, Trunk	870-879	2	0.5	0.1	2.1
-Open Wound - Upper Limb	880-887	3	1.3	0.3	4.7
-Contusion	920-924	3	1.1	0.3	4.6
-Foreign Body Entering Orifice	930-939	3	1.0	0.3	3.0
-Burns	940-949	1	0.3	0.0	2.3
-Toxic Effects - Non-medicinal	980-989	1	0.5	0.1	3.7
-Complications of Surgical/Medical Care	996-999	3	1.9	0.6	6.1
Total		65	24.2	18.3	32.0

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### OSHA Data

#### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\*

##### Part 2. Women

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	1	1.4	0.2	10.0
-Disorders of Peripheral NS	350-359	1	1.4	0.2	10.0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	9	6.5	3.3	13.1
-Arthropathies	710-719	3	2.8	0.9	9.4
-Dorsopathies	720-724	3	1.6	0.5	5.1
-Rheumatism, Excluding Back	725-729	3	2.1	0.7	6.7
INJURY & POISONING	800-999	13	8.5	4.7	15.2
-Sprains & Strains - Back	846-847	4	2.5	0.9	6.9
-Sprains & Strains - Other	840-845, 848	1	0.7	0.1	5.1
-Open Wound - Head, Neck, Trunk	870-879	3	1.9	0.6	5.9
-Superficial Injury	910-919	2	0.9	0.2	3.4
-Contusion	920-924	1	0.7	0.1	5.0
-Foreign Body Entering Orifice	930-939	1	1.4	0.2	10.0
-Toxic Effects - Non-medicinal	980-989	1	0.4	0.1	3.0
<b>Total</b>		23	16.5	10.6	25.6

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

## Nevada Test Site 2008

### OSHA Data

#### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\*

##### Part 3. Men and Women

Diagnostic Category	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	2	0.6	0.1	2.5
-Disorders of Peripheral NS	350-359	1	0.4	0.1	2.7
-Disorders of Eye	360-379	1	0.2	0.0	1.6
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	2	0.2	0.1	0.9
-Hernia	550-553	2	0.2	0.1	0.9
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	0.1	0.0	0.8
-Infections	680-686	1	0.1	0.0	0.8
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	26	5.5	3.6	8.3
-Arthropathies	710-719	11	2.4	1.3	4.7
-Dorsopathies	720-724	12	2.5	1.4	4.8
-Rheumatism, Excluding Back	725-729	3	0.5	0.2	1.5
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	2	0.2	0.1	0.9
-Symptoms	780-789	2	0.2	0.1	0.9
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	55	14.9	11.0	20.3
-Fracture - Upper Limb	810-819	1	0.1	0.0	0.8
-Fracture - Lower Limb	820-829	1	0.2	0.0	1.6
-Dislocation	830-839	1	0.1	0.0	0.8
-Sprains & Strains - Back	846-847	15	4.1	2.3	7.3
-Sprains & Strains - Other	840-845, 848	13	4.4	2.4	8.1
-Open Wound - Head, Neck, Trunk	870-879	5	0.8	0.3	1.9
-Open Wound - Upper Limb	880-887	3	0.9	0.2	3.4
-Superficial Injury	910-919	2	0.2	0.1	0.9
-Contusion	920-924	4	1.0	0.3	3.3
-Foreign Body Entering Orifice	930-939	4	1.0	0.4	2.8
-Burns	940-949	1	0.2	0.0	1.6
-Toxic Effects - Non-medicinal	980-989	2	0.5	0.1	2.4
-Complications of Surgical/Medical Care	996-999	3	1.3	0.4	4.4
<b>Total</b>		88	21.6	16.9	27.5

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.